



MANAGEMENT'S DISCUSSION & ANALYSIS
FOR THE NINE MONTHS ENDED SEPTEMBER 30, 2018

TABLE OF CONTENTS

Cautionary Note Regarding Forward-Looking Statements	1
Business Overview	2
Corporate Highlights.....	2
<i>Financing and first rights for new precious metal royalties or streams</i>	2
<i>Ecuador exploration</i>	3
<i>Consolidation of Newfoundland Properties with Daniel's Harbour and Mary March projects in Canstar</i>	3
<i>Re-alignment of the Irish mineral blocks</i>	4
Exploration Outlook.....	4
<i>Exploration and evaluation assets</i>	5
Ecuador Projects	8
<i>Curipamba</i>	8
<i>Exploration Alliance – Pijilí project</i>	21
<i>Exploration Alliance – Santiago project</i>	21
Newfoundland Projects	22
Irish Projects	22
<i>Lismore</i>	23
<i>Rathkeale</i>	23
<i>Other Irish blocks</i>	24
Qualified Person	24
Results of Operations	25
Financial Conditions, Liquidity and Capital Resources.....	26
Summary of Quarterly Financial Information	26
Related Party Transactions	27
Off-Balance Sheet Arrangements	28
Share Capital.....	28
New Accounting Policies.....	28
Risk Factors and Uncertainties	29
Internal Control over Financial Reporting	29
Critical Accounting Estimates	29
Commitments and Contractual Obligations	29
<i>Mineral property expenditures</i>	29
<i>Operating lease</i>	30
<i>Contractual obligations</i>	30

This Management's Discussion and Analysis ("MD&A") of Adventus Zinc Corporation ("Adventus" or the "Corporation") has been prepared as of November 26, 2018 and should be read in conjunction with the Corporation's audited annual consolidated financial statements for the year ended December 31, 2017 and the 69-day period from October 24 to December 31, 2016 and related notes, prepared in accordance with International Financial Reporting Standards ("IFRS") as well as the unaudited condensed interim consolidated financial statements ("Interim Financial Statements") of the Corporation for the three and nine months ended September 30, 2018 and 2017, prepared in accordance with *International Accounting Standard 34, "Interim Financial Reporting"* ("IAS34").

This MD&A supplements, but not form part of, the Interim Financial Statements and includes financial and operational information from the Corporation's subsidiaries. This MD&A covers the nine months ended September 30, 2018 and the subsequent period up to the date of this MD&A. All dollar amounts referred to in this MD&A are expressed in Canadian dollars except where indicated otherwise.

Cautionary Note Regarding Forward-Looking Statements

This MD&A includes certain statements that constitute forward-looking information. All statements in this discussion other than statements of historical fact, including those that address the Corporation's plans for the discovery or acquisition of additional mineral projects, expected working capital requirements and proposed exploration and evaluation activities, are forward-looking information. Although the Corporation believes the expectations expressed in such forward-looking information are based on reasonable assumptions (including assumptions relating to economic, market and political conditions and the Corporation's working capital requirements), such statements are not guarantees of future performance and actual results or developments may differ materially from those in forward-looking information. Readers are cautioned not to place undue reliance on forward-looking information. Factors that could cause actual results to differ materially from those in forward-looking information include market prices, exploration and evaluation results, continued availability of capital and financing, and general economic, market or business conditions.

Any financial outlook or future-oriented financial information in this MD&A, as defined by applicable securities legislation, has been approved by management of the Corporation as of the date of this MD&A. Such financial outlook or future-oriented financial information is included for the purpose of providing information about management's current expectations and plans relating to the future. Readers are cautioned that such outlook or information should not be used for purposes other than for which it is disclosed in this MD&A.

The Corporation disclaims any intention or obligation to update or revise any forward-looking information, whether as a result of new information, future events or otherwise, except as required by applicable law.

Additional information regarding the Corporation, including the Corporation's continuous disclosure materials, is available on the Corporation's website at www.adventuszinc.com or through the SEDAR website at www.sedar.com.

BUSINESS OVERVIEW

The Corporation is a mineral exploration and development company that is based in Toronto, Ontario, Canada. It is listed on the TSX Venture Exchange under the symbol ADZN and began to trade on the OTCQX under the symbol ADVZF on September 21, 2018.

The Corporation was formed on October 24, 2016 as a strategic initiative to acquire and focus efforts on zinc-related properties, specifically acquiring significant zinc-related exploration and development projects held by major mining companies. The Corporation has not earned any revenue to date and is considered to be in the exploration stage.

Today, the strategy of the Corporation has expanded to cover identification and acquisition of exceptional quality exploration projects primarily in the base metals sector, and to advance the projects to development and production stages, by leveraging management's expertise in exploration and in the capital markets, either on its own or with strategic partners.

The Corporation's main project and area of focus is the Curipamba property in Ecuador ("Curipamba") where it has an earn-in option agreement ("Option Agreement") with Salazar Resources Ltd. ("Salazar"). The Corporation also formed an exploration alliance ("Exploration Alliance") with Salazar and executed an exploration alliance agreement ("Alliance Agreement") with Salazar to explore for additional mineral projects in Ecuador. To date, two projects have been incorporated in the Exploration Alliance: the Pijilí and the Santiago projects. The projects in Ecuador are additions to the portfolio of properties in Ireland ("Irish Properties"), which the Corporation acquired in 2016 from Altius Resources Inc. ("Altius"). The properties in Newfoundland and Labrador, Canada ("Newfoundland Properties"), also acquired in 2016 from Altius, have been divested as at the date of this MD&A as described in more details in this MD&A.

CORPORATE HIGHLIGHTS FOR THE QUARTER ENDED SEPTEMBER 30, 2018

The following activities closed in the quarter:

- Non-brokered private placement (the "Offering") with Wheaton Precious Metals Corp. ("Wheaton") as the largest participant in the Offering;
- Issuance of common shares to Salazar pursuant to the Pijilí and Santiago Agreements;
- Grant to Wheaton Precious Metals International Ltd., a subsidiary of Wheaton, certain first rights relating to new precious metal royalties or streams pertaining to the Corporation's interests in the Curipamba project, and within the Ecuador exploration alliance and future projects in Ecuador;
- Transaction ("Canstar Transaction") with Altius and Canstar Resources Inc. ("Canstar") under which Canstar acquired Adventus Newfoundland Corporation ("Adventus NL"), a wholly owned subsidiary of Adventus, from Adventus and Daniel's Harbour project from Altius, in exchange for shares in Canstar.

Financing and first rights for new precious metal royalties or streams

On July 17, 2018, the Corporation closed a non-brokered private placement pursuant to which the Corporation issued 10,266,925 common shares of the Corporation at \$0.90 per share for total gross proceeds of \$9,240,233. Wheaton was the largest participant in the Offering, acquiring 9.99% of the Corporation's common shares, and had been granted the right to participate in any future equity offerings so that it can maintain its pro rata ownership at the time of any of such offering, up to a maximum of 9.9% of the common shares of the Corporation, as long as Wheaton holds 5.0% of the outstanding equity at the time of such an offering.

Concurrent with the private placement and for a cash consideration of \$800,000, the Corporation granted to a subsidiary of Wheaton the Right of First Refusal ("ROFR") relating to new precious metal royalties or streams pertaining to the Corporation's interests in the Curipamba project and the two projects within its Ecuador exploration alliance, and the Right of First Offer ("ROFO") pertaining to the Corporation's future projects to be acquired in Ecuador.

Ecuador exploration alliance

On September 14, 2017, a memorandum of understanding was signed with Salazar to form an exclusive Exploration Alliance to jointly explore for and acquire additional mineral projects in Ecuador outside of the Curipamba area, with particular interests in base metals. A definitive agreement was concluded on February 23, 2018 to formalize the terms. Under the Alliance Agreement, the Corporation will own 80% of the Exploration Alliance and will fund commercial activities of new and approved exploration projects up to a construction decision. Salazar will own 20% of the Exploration Alliance, operate the Exploration Alliance in Ecuador and will earn a 10% operator's fee on certain expenditures. Salazar is required to bring all zinc-related (zinc as one of the two top metals) projects preferentially to the Exploration Alliance, but can also transfer other non-zinc projects into the Exploration Alliance upon agreement by the Corporation.

On March 28, 2018, the first Exploration Alliance project was announced with the signing of the Pijilí Agreement. The Pijilí Project is an exploration project that had been granted to Salazar by the Ministry of Mining in Ecuador, subject to a US\$5 million expenditure over four years. As the Pijilí Project was already in Salazar's project portfolio, Salazar granted the Alliance an option to acquire the full interest in Pijilí subject to Adventus issuing 2,333,333 common shares ("Pijilí Share Consideration") to Salazar on the earlier of (a) Adventus next completing a financing of at least \$3 million, (b) Adventus completing a merger or acquisition transaction involving its common shares, or (c) March 1, 2019; where the value of the Pijilí Share Consideration falls below \$2,333,333, up to an additional 500,000 common shares will be issued to Salazar for the value difference based on the 10-day VWAP on the day preceding the date of issuance; and a US\$1 million exploration budget on the Pijilí Project to be fully funded by Adventus (or reserved for the Alliance) over the next 18 months. As consideration for the investment, Adventus was to pay Salazar US\$150,000 in cash payments, with US\$100,000 paid on the date of signing, and US\$50,000 due on official transfer of the Pijilí Project to the Alliance.

On May 22, 2018, the Santiago Project was added with the signing of the Santiago Agreement. Similar to the Pijilí Project, the Santiago Project is owned by Salazar, and Salazar granted the Alliance an option to acquire the full interest in Santiago subject to Adventus issuing 1,166,667 common shares ("Santiago Share Consideration") to Salazar on the earlier of (a) Adventus next completing a financing of at least \$3 million, (b) Adventus completing a merger or acquisition transaction involving its common shares, or (c) March 1, 2019; where the value of the Santiago Share Consideration falls below \$1,166,667, up to an additional 250,000 common shares will be issued to Salazar for the value difference based on the 10-day VWAP on the day preceding the date of issuance; and US\$0.5 million exploration budget on the Santiago Project to be fully funded by Adventus (or reserved for the Alliance) over the next 24 months. In consideration for the investment, Adventus was to pay US\$75,000 in cash payments to Salazar, with US\$50,000 paid on the date of signing, and US\$25,000 due on official transfer of the Santiago Project to the Alliance. The Santiago Project is subject to a 1.5% net smelter royalty that can be bought out for US\$1 million, as well as a 4% net profits interest royalty that is in favour of INV Metals Inc.

On July 17, 2018, the Corporation closed a financing with gross proceeds exceeding \$3 million. Pursuant to the Pijilí and Santiago Agreements, the Corporation issued an aggregate of 3,804,348 shares to Salazar as the Pijilí and Santiago Share Considerations.

Exploration activities at Pijilí and Santiago continued in the third quarter, preparing for airborne geophysical programs, which are expected to be flown by the end of the year. A drilling program is being developed for 2019 at both projects, subject to the results of the 2018 activities.

Consolidation of Newfoundland Properties with Daniel's Harbour and Mary March projects in Canstar

On February 20, 2018, the Corporation entered into a three-party definitive agreement with Altius and Canstar whereby Canstar will acquire Adventus NL from the Corporation and the Daniel's Harbour from Altius, a wholly-owned subsidiary of Altius Minerals Inc., in exchange for the issuance of common shares of Canstar to Adventus and Altius and a funding commitment of \$500,000 from Altius as part of a \$750,000 private placement. The Canstar Transaction allowed the majority of the Buchans camp's zinc exploration properties to be consolidated with Canstar's Mary March properties and Altius' Daniel's Harbour, with Adventus as a major shareholder. The private placement was upsized to \$1,500,021 and closed on April 17, 2018. The Canstar Transaction closed on July 30, 2018 when shareholders of Canstar voted overwhelmingly in favour of the Transaction. The Corporation received 86,681,695 common shares of Canstar, which after a 1 for 5 share consolidation, resulted in 17,336,339 post-consolidation common shares in Canstar, representing

approximately 39% of the outstanding common shares of Canstar. As a result, the Corporation recorded a gain of \$3,136,175 on disposal of its investment in Adventus NL and the Newfoundland Properties.

Re-alignment of Irish mineral blocks

During the first quarter of 2018, the Corporation continued its interpretation of data from seismic surveys from its 2017 exploration program. The new structural and tectonic interpretation for the Rathkeale and Lismore blocks led to the identification of drill-ready targets and a realignment of priorities for its land tenure. During the year, the Corporation shifted its focus to the southern and south-western end of the Irish Orefield, relinquishing its Shrule, Moyvore and Gaine River Blocks and obtained exploration licenses for two new blocks of ground at Charleville and Millstreet.

EXPLORATION OUTLOOK

The Corporation's strategy is to conduct exploration, development, and project generation activities. All properties that are capitalized meet the criteria associated with exploration and evaluation assets in which licenses are held. Properties that yield potential are staked or acquired and initial exploration work is performed. The Corporation then determines whether the initial exploration results are favourable enough to warrant further exploration work with a goal of eventual mine development. In the event the property has unfavourable results and no further work is warranted, the property is abandoned and written down.

The Corporation's main exploration focus in 2018 is on the Curipamba project, where the Corporation has a commitment to spend US\$25 million over five years for a 75% interest, and to complete a feasibility study within three years. The Corporation is also committed to growing its portfolio of projects within the Exploration Alliance. Of the three material mineral projects acquired in 2016, the Corporation consolidated the Buchans project located in Newfoundland and Labrador, Canada with Altius' Daniel's Harbour and Canstar's Mary March projects through the Canstar Transaction. The other two material mineral projects, referred to collectively as the Rathkeale and Lismore projects, are in Ireland and the Corporation continued to explore strategic partners to conduct exploration work on these properties in a phased approach.

Additional information on each of the material properties is included in the MD&A for the year ended December 31, 2017 and in the technical reports referred therein. The Corporation may divest or joint venture its non-core properties and may consider other attractive project-level financing offers for its material projects as well.

In addition to exploration and development work at Curipamba and the Exploration Alliance properties, the Corporation continues to evaluate opportunities within Ecuador. The Corporation expects to grow its management team and staff on a needs-basis as project(s) are acquired and/or advanced.

Exploration and evaluation assets

The following is a financial summary of exploration and evaluation assets owned or under the management of the Corporation, as well as options to acquire mineral interests, as at September 30, 2018 and December 31, 2017:

Project	As at Dec 31, 2017	Additions, net of recoveries	Abandoned or impaired	Effect of foreign currency exchange movements	Disposals	As at September 30, 2018
Ireland						
Rathkeale Limerick	\$ 1,464,123	\$ 477,915	\$ -	\$ (26,757)	\$ -	\$ 1,915,281
Shrulle	132,700	9,378	(146,224)	4,146	-	-
Kingscourt	138,173	-	-	(295)	-	137,878
Lismore Waterford	507,470	32,771	-	(2,615)	-	537,626
Fermoy	8,814	20,282	-	(558)	-	28,538
Gain River	2,820	1,529	(4,411)	62	-	-
Moyvore	7,470	2,779	(10,437)	188	-	-
Charleville	-	20,075	-	(431)	-	19,644
Millstreet	-	26,400	-	(572)	-	25,828
Newfoundland & Labrador						
Buchans	964,437	(63,958)	-	-	(900,479)	-
Katie	235,624	2,099	-	-	(237,723)	-
La Poile	11,893	4,069	-	-	(15,962)	-
Security Deposits	17,845	-	-	-	(17,845)	-
Total mineral properties	\$ 3,491,369	\$ 533,339	\$ (161,072)	\$ (26,832)	\$ (1,172,009)	\$ 2,664,795
Curipamba	\$ 3,117,192	\$ 6,664,627	\$ -	\$ 165,194	\$ -	\$ 9,947,013
Pijilí	-	2,926,494	-	(4,370)	-	2,922,124
Santiago	-	1,283,928	-	(293)	-	1,283,635
Total options to acquire mineral interests	\$ 3,117,192	10,875,049	-	160,531	-	14,152,772

Project	As at December 31, 2016	Additions, net of recoveries	As at December 31, 2017
Ireland			
Rathkeale Limerick	\$ 219,728	\$ 1,244,395	1,464,123
Shrule	124,701	7,999	132,700
Kingscourt	131,860	6,313	138,173
Lismore Waterford	60,586	446,884	507,470
Fermoy	-	8,814	8,814
Gaine River	-	2,820	2,820
Moyvore	-	7,470	7,470
Newfoundland & Labrador			
Buchans	517,268	447,169	964,437
Katie	189,169	46,455	235,624
La Poile	5,252	6,641	11,893
Security Deposits	2,100	15,745	17,845
Total mineral properties	\$ 1,250,664	\$ 2,240,705	\$ 3,491,369
Curipamba	\$ -	\$ 3,117,192	\$ 3,117,192

During the nine months ended September 30, 2018, the Corporation increased its investment in the exploration and evaluation properties by an additional \$533,339 investment (September 30, 2017: \$1,951,069). During the same period, an amount of \$70,131 was received from the Government of Newfoundland and Labrador in respect of eligible exploration expenditures on approved program in the province.

The Corporation continued to advance the Curipamba project and invested an amount of \$6,664,627 during the nine months ended September 30, 2018 on the option to acquire interest in the Curipamba project (September 30, 2017: \$Nil). The amount used was mainly for the resource update, the 2018 drilling program, as well as various studies for environmental audit, permitting, drill spacing, and road route. As at September 30, 2018, the Corporation had funded a cumulative amount of US\$7,701,126 of the US\$25,000,000 Qualifying Project Expenditures required over five years, into the option in Curipamba.

The Corporation incurred expenditures of \$463,881 (September 30, 2017: \$6,907) on generative exploration in relation to properties in which licenses have not yet been offered and accepted, both in Ecuador and in Ireland, as well as for the annual advance payment of US\$250,000 to Salazar in respect of Curipamba.

During the nine months ended September 30, 2018, the Corporation applied for new concessions in Ireland and was granted mineral exploration licenses for Charleville and Milltown. At the time of the application, the Corporation decided to relinquish the existing Shrule, Gaine River and Moyvore projects in favour of the new concessions. As a result, these projects were fully written off in the first quarter of 2018, for an amount of \$161,072.

During the nine months ended September 30, 2018, pursuant to agreements with Salazar on March 28, 2018 and May 22, 2018, the Corporation paid US\$100,000 and US\$50,000 to Salazar in respect of the options to earn into the entity that holds the Pijilí project and the Santiago project respectively. The Corporation also issued an aggregate of 3,804,348 common shares to Salazar as part of the consideration for the two projects. As at September 30, 2018, the Corporation had funded US\$514,497 of the US\$1,000,000 Pijilí Expenditures and US\$110,456 of the US\$500,000 Santiago Expenditures respectively.

The table on the following page shows a breakdown of material components of the exploration and evaluation (“E&E”) assets as at September 30, 2018 and December 31, 2017.

As at September 30, 2018	Irish Properties						Total Exploration and Evaluation Assets
	Lismore	Rathkeale	Kingscourt	Fermoy	Charleville	Millstreet	
Accommodations	26,952	3,537	992	-	-	-	31,481
Acquisitions	11,639	182,519	133,895	7,886	9,012	6,196	351,147
Analytical charges	77,754	224,528	-	-	-	-	302,282
Field costs	9,506	68,490	475	15,334	2,937	14,219	110,961
Field supplies	2,840	3,183	261	-	-	-	6,284
Geophysics	5,908	86,711	-	-	-	-	92,619
Hotels and Meals	6,993	10,061	39	-	423	-	17,516
Technical and Professional Support	361,664	1,265,706	1,558	5,313	7,272	5,413	1,646,926
Travel	34,370	70,546	658	5	-	-	105,579
Total	537,626	1,915,281	137,878	28,538	19,644	25,828	2,664,795

As at December 31, 2017	Newfoundland Properties			Irish Properties						Total E&E Assets	
	Buchans	Katie	La Poile	Lismore	Rathkeale	Kingscourt	Shrule	Fermoy	Gain River		Moyvore
Accommodations		26		25,504	3,231	994	994				30,749
Acquisitions	543,943	224,169	5,252	11,663	182,908	134,181	126,028	7,902	2,258	6,773	1,245,077
Analytical charges				69,557	57,499						127,056
Contractors	22,308	10,127	3,267								35,702
Field costs				1,537	27,519	476	476				30,008
Field supplies		8		2,658	1,409	262	262				4,599
Geophysics				5,920	85,691						91,611
Hotels and Meals		22		7,007	9,908	39	39				17,015
Technical and Professional Support	397,396	1,246	3,374	350,464	1,069,188	1,560	4,198	912	520	654	1,829,512
Travel		26		33,160	26,770	661	703		42	43	61,405
Others	790										790
Security Deposits	16,445		1,400								17,845
Total	980,882	235,624	13,293	507,470	1,464,123	138,173	132,700	8,814	2,820	7,470	3,491,369

ECUADOR PROJECTS

Curipamba

In the last quarter of 2017, the Corporation retained Roscoe Postle Associates Inc. (“RPA”) to complete an updated Mineral Resource estimate for the El Domo VMS deposit which lies within the Curipamba project. The NI 43-101 Technical Report, dated March 9, 2018, may be found under the Corporation’s profile on SEDAR as well as the Corporation’s website at www.adventuszinc.com.

The updated Mineral Resource estimate for El Domo has an effective date of January 19, 2018 and is supported on information provided from 221 core boreholes, totalling 45,202 metres, completed between 2007 and 2017. The Indicated Mineral Resources for El Domo total 8.8 million tonnes grading 1.62% copper, 2.34 g/t gold, 2.42% zinc, 48 g/t silver, and 0.27% lead. The Inferred Mineral Resources for El Domo total 2.6 million tonnes grading 1.29% copper, 0.14% lead, 1.51% zinc, 1.09 g/t gold, and 29 g/t silver. The National Instrument (“NI”) 43-101 Technical Report was authored by Independent Qualified Person Dr. Lars Weiershäuser, P.Geo., of RPA (based in Toronto, Ontario, Canada), who is a Qualified Person as defined by NI 43-101.

At the Sesmo target which is located 1,100 metres north of El Domo, work started in 2018 with a review of historical work near the target. This review was followed by prospecting, soil sampling, and a 22 line-kilometre IP geophysical survey, noting that the geophysical survey is key to refining targets for drilling. Some follow-up drilling to the channel samples has been done, with additional drilling underway at the time of this MD&A. The Corporation and Salazar commenced geophysical work and drilling activities in the first quarter of 2018, which has continued during the year.

At the end of January 2018, a 18,000 metre drill program commenced at the Curipamba project. As at the date of this MD&A, Salazar field crews are using two drill rigs at the Curipamba project. One drill rig works to complete infill and definition drilling within the Whittle starter open-pit of the recent Mineral Resource update (see January 22, 2018 news release) to not only raise confidence in Mineral Resource, but to also collect material for a metallurgical program planned for the second half of 2018. The second drill rig is currently drilling high-priority targets proximal to El Domo. Assay results from drilling will be released when they have passed QA/QC protocols.

Infill drilling results

The infill drilling program commenced in early March 2018 with the objective of upgrading the confidence level of the Mineral Resource within the Whittle starter open-pit area by decreasing drill spacing, which will also generate material for a planned metallurgical program in the second half of 2018. One drill rig from the drilling contractor has been dedicated to this work program. Overall, drilling results have confirmed the quality of the geological and structural modelling completed by RPA, notably the semi-massive to massive sulphide mineralization.

Drill hole CURI-250 intersected VMS mineralization from 71.65 to 82.00 metres for an approximate true thickness of 9.32 metres grading 3.85% copper, 5.12 g/t gold, 10.34% zinc, 139.0 g/t silver, and 0.95% lead. A subset interval of the massive sulphide mineralization is of even higher grade from 72.41 to 76.08 metres, grading 6.47% copper, 12.30 g/t gold, 25.27% zinc, 335.4 g/t silver, and 2.37% lead. It should be noted that the lower 2.73 metres of the intercept is structurally modified by a fault and gradually transitions into both mineralized and hydrothermally altered dacite volcanoclastic rocks that underlie El Domo.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	Approx. True Thickness (m)
CURI-250	71.65	82.00	10.35	3.85	5.12	10.34	139.0	0.95	9.32
<i>including</i>	72.41	77.98	5.57	6.33	8.30	18.43	240.7	1.62	5.01
<i>including</i>	72.41	76.08	3.67	6.47	12.30	25.27	335.4	2.37	3.30

The intercept in CURI-252 has an approximate true thickness of 4.51 metres and intersected VMS mineralization from 59.75 to 64.76 metres grading 1.62% copper, 8.77 g/t gold, 11.47% zinc, 357.9 g/t silver, and 2.68% lead. The top contact of the VMS mineralization occurs across 1.29 metres of intercalated fine-grained volcanoclastic tuff-sized material and semi-massive sulphide mineralization that grades into massive sulphide mineralization. A subset interval of the massive sulphide mineralization is of even higher grade from 61.04 to 62.65 metres, grading 1.74% copper, 17.40 g/t gold, 22.05% zinc, 523.0

g/t silver, and 5.97% lead. The lower contact is faulted from 62.65 to 64.76 metres and gradually transitions into both mineralized and hydrothermally altered dacite volcanoclastic rocks.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	Approx. True Thickness (m)
CURI-252	59.75	64.76	5.01	1.62	8.77	11.47	357.9	2.68	4.51
<i>Including</i>	61.04	64.76	3.72	1.83	7.96	11.75	244.8	2.61	3.35
<i>Including</i>	61.04	62.65	1.61	1.74	17.40	22.05	523.0	5.97	1.45

CURI-253 was designed to test the thin southerly margin of the massive sulphide mineralization within the confines of the Whittle starter open-pit and it intersected an approximate true thickness of 0.61 metres from 59.52 to 60.20 metres grading 0.84% copper, 13.9 g/t gold, 26.48% zinc, 298.0 g/t silver, and 1.87% lead. In addition, it also intersected a low-grade stockwork within dacite volcanoclastic rocks from 68.58 to 75.29 metres. Stockwork mineralization is quite common below El Domo, forming horizontal units that appear to be spatially associated with key fault structures and associated with autobreccia in the dacite volcanic rocks.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	Approx. True Thickness (m)
CURI-253	59.52	60.20	0.68	0.84	13.90	26.48	298.0	1.87	0.61
	68.58	75.29	6.71	0.57	0.14	2.57	8.5	0.13	6.04

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	Approx. True Thickness (m)
CURI-256	108.52	119.21	10.69	0.46	0.25	0.84	12.8	0.07	9.62

Drill hole CURI-257 intersected a zone of semi-massive sulphide mineralization that transitioned into well mineralized dacite volcanoclastic rocks along the southern margin of El Domo. The intercept is from 67.80 to 72.60 metres for an approximate true thickness of 4.32 metres, grading 0.66% copper, 1.63 g/t gold, 3.58% zinc, 60.5 g/t silver, and 0.42% lead. A subset interval of semi-massive sulphide mineralization does possess higher gold and silver assay results from 67.80 to 69.95 metres, grading 0.17% copper, 2.81 g/t gold, 3.05% zinc, 88.5 g/t silver, and 0.70% lead.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	Approx. True Thickness (m)
CURI-257	67.80	72.60	4.80	0.66	1.63	3.58	60.5	0.42	4.32
<i>including</i>	67.80	69.95	2.15	0.17	2.81	3.05	88.5	0.70	1.94

Drill hole CURI-259 intersected two mineralized grainstone units, which are a resedimented volcanoclastic rock with massive sulphide clasts. The first interval was from 46.63 to 49.15 metres for an approximate true thickness of 2.27 metres grading 1.29% copper, 3.06 g/t gold, 1.99% zinc, 38.5 g/t silver and 0.14% lead. The second unit was intersected from 64.89 to 67.56 metres for an approximate true thickness of 2.40 metres grading 0.72% copper, 3.51 g/t gold, 4.97% zinc, 214.4 g/t silver, and 1.34% lead. Massive sulphide mineralization was then intersected from 67.56 to 71.97 metres for an approximate true thickness of 3.97 metres grading 5.95% copper, 3.27 g/t gold, 6.52% zinc, 122.3 g/t silver, and 0.38% lead.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	Approx. True Thickness (m)
CURI-259	46.63	49.15	2.52	1.29	3.06	1.99	38.5	0.14	2.27
	64.89	71.97	7.08	3.92	3.32	5.90	154.9	0.74	6.37
<i>including</i>	64.89	67.56	2.67	0.72	3.51	4.97	214.4	1.34	2.40
<i>including</i>	67.56	71.97	4.41	5.95	3.27	6.52	122.3	0.38	3.97

The intercept in CURI-260 has an approximate true thickness of 6.80 metres and intersected VMS mineralization from 80.65 to 88.20 metres grading 2.62% copper, 2.51 g/t gold, 5.27% zinc, 37.8 g/t silver, and 0.09% lead. The top contact of the VMS mineralization appears to be faulted for the first 1.57 metres of massive sulphide mineralization, but grades into semi-massive sulphide mineralization then back into massive sulphide mineralization. A subset interval of the massive sulphide mineralization is of even higher grade from 84.82 to 86.65 metres, grading 3.70% copper, 4.61 g/t gold, 14.22% zinc, 59.8 g/t

silver, and 0.11% lead. The lower contact also appears to be faulted from 87.49 to 88.20 metres and gradually transitions into both mineralized and hydrothermally altered dacite volcanoclastic rocks.

Below the massive sulphide mineralization, drilling also intersected a low-grade stockwork zone within the dacite volcanoclastic rocks from 93.94 to 103.26 metres that corresponds to other similar low-grade stockwork zones stratigraphically below El Domo. However, a higher-grade subset does occur from 100.76 to 103.26 metres, grading 2.63% copper, 1.70 g/t gold, 1.65% zinc, 23.4 g/t silver, and 0.09% lead. A second, narrow stockwork zone was intersected from 215.04 to 217.18 metres, grading 1.40% copper, 0.16 g/t gold, 0.14% zinc, and 0.9 g/t silver.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	Approx. True Thickness (m)
CURI-260	80.65	88.20	7.55	2.62	2.51	5.27	37.8	0.09	6.80
<i>Including</i>	83.11	87.49	4.38	4.05	2.81	7.87	45.6	0.06	3.94
<i>Including</i>	84.82	86.65	1.83	3.70	4.61	14.22	59.8	0.11	1.65
	93.94	103.26	9.32	0.82	0.56	0.71	8.4	0.03	8.39
<i>Including</i>	100.76	103.26	2.50	2.63	1.70	1.65	23.4	0.09	2.25
	215.04	217.18	2.14	1.40	0.16	0.14	0.9	0.00	1.93

Drill hole CURI-261 intersected thin, high-grade, mineralized grainstone from 53.98 to 55.77 metres for an approximate true thickness of 1.43 metres grading 3.80% copper, 5.85 g/t gold, 3.61% zinc, 122.3 g/t silver, and 0.38% lead. A second, finer-grained, mineralized grainstone was intersected directly above the massive sulphide mineralization from 76.18 to 81.33 metres for an approximate true thickness of 4.12 metres grading 0.43% copper, 2.95 g/t gold, 5.74% zinc, 128.3 g/t silver, and 0.65% lead. A subset interval of the grainstone is of even higher grade from 76.18 to 78.08 metres, grading 0.43% copper, 5.15 g/t gold, 9.58% zinc, 288.41 g/t silver, and 1.58% lead.

The grainstone transitioned into massive sulphide mineralization, which occurs from 81.33 to 89.79 metres for an approximate true thickness of 6.77 metres grading 4.24% copper, 0.54 g/t gold, 2.31% zinc, 15.98 g/t silver, and 0.01% lead. A subset interval of massive sulphide mineralization is of even higher grade from 81.33 to 86.02 metres, grading 7.23% copper, 0.72 g/t gold, 4.15% zinc, 25.72 g/t silver, and 0.01% lead.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	Approx. True Thickness (m)
CURI-261	53.98	55.77	1.79	3.80	5.85	3.61	122.3	0.38	1.43
	76.18	81.33	5.15	0.39	2.95	5.74	128.3	0.65	4.12
<i>Including</i>	76.18	78.08	1.90	0.43	5.15	9.58	288.4	1.58	1.52
	81.33	89.79	8.46	4.24	0.54	2.31	16.0	0.01	6.77
<i>Including</i>	81.33	86.02	4.69	7.23	0.72	4.15	25.7	0.01	3.75

Drill hole CURI-262 intersected a zone of grainstone from 44.51 to 50.24 metres for an approximate true thickness of 4.56 metres that possessed resedimented clasts of massive sulphide mineralization and graded 1.26% copper, 1.88 g/t gold, 1.47% zinc, 33.9 g/t silver, and 0.11% lead. Massive sulphide mineralization then occurs from 63.69 to 77.35 metres for an approximate true thickness of 12.98 metres, grading 5.68% copper, 6.98 g/t gold, 1.97% zinc, 59.3 g/t silver, and 0.21% lead. A subset interval of semi-massive sulphide mineralization does possess higher gold and silver assay results from 63.69 to 67.88 metres, grading 10.68% copper, 18.34 g/t gold, 3.51% zinc, 111.9 g/t silver, and 0.30% lead.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	CuEq ⁽¹⁾ (%)	Approx. True Thickness (m)
CURI-262	44.51	50.24	4.80	1.26	1.88	1.47	33.9	0.11	3.8	4.56
<i>including</i>	48.13	50.24	2.15	2.51	4.20	2.07	60.1	0.23	6.9	2.04
	63.69	77.35	13.66	5.68	6.98	1.97	59.3	0.21	11.8	12.98
<i>including</i>	63.69	67.88	4.19	10.68	18.34	3.51	111.9	0.30	25.7	3.98

(1) Metal equivalency based on US\$3.25/lb Cu, US\$1,500/oz Au, US\$1.30/lb Zn, US\$23/oz Ag and US\$1.10/lb Pb; noting that no adjustments were made in the metal equivalency calculation for metal recovery, as this is still an early stage project

Drill hole CURI-264 intersected fine-grained sediments off the western margin of the massive sulphide mineralization that are time-stratigraphic equivalent, or coeval and therefore linked to the seafloor hydrothermal processes that formed El Domo.

The top of the interval is caught up in an apparent fault structure from 74.50 to 76.83 metres, but this sedimentary unit continues to 82.60 metres. Significant gold mineralization was intersected from 74.50 to 81.00 metres for an approximate true thickness of 5.53 metres grading 0.52% copper, 6.55 g/t gold, 0.52% zinc, 48.0 g/t silver and 0.10% lead. A subset interval of higher-grade occurs from 76.83 to 78.00 metres grading 1.48% copper, 14.50 g/t gold, 0.63% zinc, 45.6 g/t silver, and 0.01% lead.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	CuEq ⁽¹⁾ (%)	Approx. True Thickness (m)
CURI-264	74.50	81.00	6.50	0.52	6.55	0.52	48.0	0.10	5.7	5.53
<i>including</i>	76.83	78.00	1.17	1.48	14.50	0.63	45.6	0.01	12.0	0.99

(1) Metal equivalency based on US\$3.25/lb Cu, US\$1,500/oz Au, US\$1.30/lb Zn, US\$23/oz Ag and US\$1.10/lb Pb; noting that no adjustments were made in the metal equivalency calculation for metal recovery, as this is still an early stage project

Grainstone and fine-grained sediments were intersected in CURI-265 from 39.50 to 65.04 metres for an approximate true thickness of 24.26 metres; however, it appears the fine-grained sediments are entirely overprinted by faulting from 56.00 to 65.04 metres. Overall, the grainstone and fine-grained sediments are only weakly mineralized from 49.50 to 65.04 metres, grading 0.35% copper, 1.33 g/t gold, 1.37% zinc, 41.2 g/t silver, and 0.28% lead.

The top contact of the VMS mineralization appears to be semi-massive sulphide mineralization that transitions from fine-grained sediments to the massive sulphide mineralization downhole. The massive sulphide mineralization occurs from 65.04 to 75.34 metres for a true thickness of 9.79 metres, grading 8.72% copper, 2.74 g/t gold, 0.15% zinc, 27.3 g/t silver, and 0.01% lead. A subset interval of the massive sulphide mineralization is of even higher grade from 66.20 to 70.00 metres, grading 14.05% copper, 5.69 g/t gold, 0.11% zinc, 47.0 g/t silver, and 0.01% lead. The lower contact also appears to be faulted and transitions into dacite volcanoclastic rocks that are weakly mineralized and hydrothermally altered by gypsum.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	CuEq ⁽¹⁾ (%)	Approx. True Thickness (m)
CURI-265	49.50	65.04	15.54	0.35	1.33	1.37	41.2	0.28	2.3	14.76
<i>Including</i>	50.94	52.73	1.79	0.81	2.57	3.22	94.0	0.97	5.1	1.70
<i>Including</i>	56.00	57.56	1.56	0.24	4.96	6.88	201.0	1.24	8.8	1.48
<i>Including</i>	59.48	65.04	5.56	0.58	0.98	0.61	17.6	0.05	1.7	5.28
	65.04	75.34	10.30	8.72	2.74	0.15	27.3	0.01	10.9	9.79
<i>Including</i>	66.20	70.00	3.80	14.05	5.69	0.11	47.0	0.01	18.4	3.61

(1) Metal equivalency based on US\$3.25/lb Cu, US\$1,500/oz Au, US\$1.30/lb Zn, US\$23/oz Ag and US\$1.10/lb Pb; noting that no adjustments were made in the metal equivalency calculation for metal recovery, as this is still an early stage project

Drill hole CURI-266 intersected well-mineralized, fine-grained sediments from 51.24 to 56.57 metres for an approximate true thickness of 4.53 metres grading 2.12% copper, 7.72 g/t gold, 9.70% zinc, 186.9 g/t silver, and 0.94% lead. A subset interval from 53.70 to 56.57 metres grading 2.64% copper, 9.48 g/t gold, 14.77% zinc, 251.3 g/t silver, and 1.11 % lead.

The fine-grained sediments transitioned into a thick interval of massive sulphide to semi-massive mineralization that occurs from 56.57 to 89.00 metres for an approximate true thickness of 27.56 metres grading 4.40% copper, 1.29 g/t gold, 1.84% zinc, 13.3 g/t silver, and 0.09% lead. A subset interval of massive sulphide mineralization is of even higher grade from 66.16 to 72.04 metres, grading 14.82% copper, 2.48 g/t gold, 5.54% zinc, 22.8 g/t silver, and 0.03% lead.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	CuEq ⁽¹⁾ (%)	Approx. True Thickness (m)
CURI-266	51.24	56.57	5.33	2.12	7.72	9.70	186.9	0.94	13.4	4.53
<i>Including</i>	53.70	56.57	2.87	2.64	9.48	14.77	251.3	1.11	17.9	2.44
	56.57	89.00	32.43	4.40	1.29	1.84	13.3	0.09	6.2	27.56
<i>Including</i>	56.57	75.98	19.41	7.00	1.61	3.00	18.4	0.14	9.5	16.50
<i>Including</i>	58.61	72.04	13.43	9.05	1.81	2.59	16.4	0.03	11.5	11.42
<i>Including</i>	66.16	72.04	5.88	14.82	2.48	5.54	22.8	0.03	19.0	5.00
<i>Including</i>	75.98	89.00	13.02	0.53	0.81	0.11	5.6	0.02	1.2	11.07

(1) Metal equivalency based on US\$3.25/lb Cu, US\$1,500/oz Au, US\$1.30/lb Zn, US\$23/oz Ag and US\$1.10/lb Pb; noting that no adjustments were made in the metal equivalency calculation for metal recovery, as this is still an early stage project

Drill hole CURI-268 intersected grainstone from 34.24 to 47.80 metres for an approximate true thickness of 12.88 metres; however, it only has narrow intervals that is rich in sulphide clasts. The best interval was 45.20 to 47.80 metres, grading 6.15% copper, 8.64 g/t gold, 5.97% zinc, 151.4 g/t silver, and 0.56% lead. Stratigraphically below the grainstone were fine-grained sediments that appeared intruded by a mafic dyke, but the fine-grained sediments were well-mineralized directly above the massive sulphide mineralization from 59.66 to 61.04 metres for an approximate true thickness of 1.31 metres grading 1.65% copper, 5.75 g/t gold, 0.98% zinc, 29.0 g/t silver, and 0.14% lead.

The fine-grained sediments transitioned into a thick interval of massive sulphide mineralization, most of which appeared faulted. This mineralization was intersected from 61.04 to 69.00 metres for an approximate true thickness of 7.56 metres grading 2.89% copper, 2.74 g/t gold, 2.86% zinc, 17.1 g/t silver, and 0.08% lead. A subset interval of massive sulphide mineralization is of even higher grade from 61.04 to 64.95 metres, grading 5.50% copper, 4.54 g/t gold, 5.71% zinc, 32.1 g/t silver, and 0.15% lead.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	CuEq ⁽¹⁾ (%)	Approx. True Thickness (m)
CURI-268	45.20	47.80	2.60	6.15	8.64	5.97	151.4	0.56	16.1	2.47
	59.66	61.04	1.38	1.65	5.75	0.98	29.0	0.14	6.3	1.31
	61.04	69.00	7.96	2.89	2.74	2.86	17.1	0.08	6.1	7.56
<i>Including</i>	61.04	64.95	3.91	5.50	4.54	5.71	32.1	0.15	11.2	2.95

(1) Metal equivalency based on US\$3.25/lb Cu, US\$1,500/oz Au, US\$1.30/lb Zn, US\$23/oz Ag and US\$1.10/lb Pb; noting that no adjustments were made in the metal equivalency calculation for metal recovery, as this is still an early stage project

Drill hole CURI-270 intersected massive sulphide mineralization from 55.60 to 59.72 metres for an approximate true thickness of 3.91 metres, grading 2.27% copper, 14.31 g/t gold, 33.36% zinc, 526.8 g/t silver, and 3.78% lead. A subset interval of massive sulphide mineralization possesses significantly higher-grade zinc from 57.85 to 59.72 metres, grading 3.07% copper, 6.32g/t gold, 49.73% zinc, 255.4 g/t silver, and 1.69% lead.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	CuEq ⁽¹⁾ (%)	Approx. True Thickness (m)
CURI-270	55.60	59.72	4.12	2.27	14.31	33.36	526.8	3.78	31.96	3.91
<i>including</i>	55.60	57.85	2.25	1.60	20.95	19.75	752.4	5.50	33.23	2.14
<i>including</i>	57.85	59.72	1.87	3.07	6.32	49.73	255.4	1.69	30.42	1.78
	59.72	84.00	24.28	0.20	0.50	2.11	8.0	0.08	1.49	23.07
<i>including</i>	65.76	84.00	18.24	0.22	0.40	2.46	7.6	0.08	1.58	17.33
<i>including</i>	67.53	72.00	4.47	0.12	1.07	2.12	7.0	0.13	1.80	4.25

(1) Metal equivalency based on US\$3.25/lb Cu, US\$1,500/oz Au, US\$1.30/lb Zn, US\$23/oz Ag and US\$1.10/lb Pb; noting that no adjustments were made in the metal equivalency calculation for metal recovery, as this is still an early stage project

Drill hole CURI-270 also intersected a wide section of low-grade stockwork directly below the massive sulphide mineralization from 59.72 to 84.00 metres for an approximate true thickness of 23.07 metres grading 0.20% copper, 0.50 g/t gold, 2.11% zinc, 8.0 g/t silver, and 0.08% lead. A subset interval of higher-grade gold content occurs from 67.53 to 72.00 metres grading 0.12% copper, 1.07 g/t gold, 2.12% zinc, 7.0 g/t silver, and 0.13% lead.

Drill hole CURI-272 intersected both massive and semi-massive sulphide mineralization from 55.18 to 65.16 metres for an approximate true thickness of 8.48 metres grading 2.58% copper, 11.48 g/t gold, 22.72% zinc, 265.8 g/t silver and 2.73% lead. A subset interval of higher-grade occurs from 55.18 to 60.27 metres grading 2.67% copper, 21.59 g/t gold, 38.46% zinc, 338.8 g/t silver, and 5.32% lead. Semi-massive sulphide mineralization occurs from 60.27 to 65.16 metres, grading 2.49% copper, 0.96 g/t gold, 6.34% zinc, 189.7 g/t silver, and 0.03% lead.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	CuEq ⁽¹⁾ (%)	Approx. True Thickness (m)
CURI-272	55.18	65.16	9.98	2.58	11.48	22.72	265.8	2.73	23.06	8.48
<i>including</i>	55.18	60.27	5.09	2.67	21.59	38.46	338.8	5.32	37.88	4.33
<i>including</i>	60.27	65.16	4.89	2.49	0.96	6.34	189.7	0.03	7.64	4.16
	66.28	73.74	7.46	0.45	0.23	0.56	8.1	0.05	0.93	6.34

(1) Metal equivalency based on US\$3.25/lb Cu, US\$1,500/oz Au, US\$1.30/lb Zn, US\$23/oz Ag and US\$1.10/lb Pb; noting that no adjustments were made in the metal equivalency calculation for metal recovery, as this is still an early stage project

Low-grade stockwork mineralization was also intersected 66.28 to 73.74 metres for an approximate true thickness of 6.34 metres grading 0.45% copper, 0.23 g/t gold, 0.56% zinc, 8.1 g/t silver, and 0.05% lead.

In CURI-273, only a narrow high-grade section of the VMS mineralization was intersected with the top contact denoted by a fault zone. The massive sulphide mineralization occurs from 68.65 to 69.00 metres for a true thickness of 0.33 metres, grading 2.85% copper, 4.07 g/t gold, 24.46% zinc, 356.0 g/t silver, and 1.26% lead. Immediately below the lower contact of the massive sulphide mineralization, the dacite volcanoclastic rocks are well mineralized and hydrothermally altered over a short interval from 69.00 to 69.55 metres, grading 1.90% copper, 0.60 g/t gold, 4.45% zinc, 69.0 g/t silver, and 0.01% lead.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	CuEq ⁽¹⁾ (%)	Approx. True Thickness (m)
CURI-273	68.65	69.00	0.35	2.85	4.07	24.46	356.0	1.26	19.47	0.33
	69.00	69.55	0.55	1.90	0.60	4.45	69.0	0.01	4.80	0.52
	118.03	128.69	10.66	0.08	0.57	1.22	16.4	0.18	1.18	10.13

(1) Metal equivalency based on US\$3.25/lb Cu, US\$1,500/oz Au, US\$1.30/lb Zn, US\$23/oz Ag and US\$1.10/lb Pb; noting that no adjustments were made in the metal equivalency calculation for metal recovery, as this is still an early stage project

Drill hole CURI-273 also intersected low-grade stockwork from 118.03 to 128.69 metres for an approximate true thickness of 10.13 metres grading 0.08% copper, 0.57 g/t gold, 1.22% zinc, 16.4 g/t silver, and 0.18% lead.

Drill hole CURI-275 intersected an interval of precious metal-rich massive sulphide to semi-massive mineralization that occurs from 58.00 to 62.00 metres for an approximate true thickness of 3.60 metres grading 4.36% copper, 22.82 g/t gold, 16.56% zinc, 250.5 g/t silver, and 3.53% lead. A subset interval of massive sulphide mineralization is of even higher grade from 58.00 to 59.97 metres, grading 7.25% copper, 30.83 g/t gold, 16.95% zinc, 322.4 g/t silver, and 3.93% lead.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	CuEq ⁽¹⁾ (%)	Approx. True Thickness (m)
CURI-275	58.00	62.00	4.00	4.36	22.82	16.56	250.5	3.53	31.03	3.60
	<i>including</i>	58.00	59.97	1.97	7.25	30.83	322.4	3.93	39.44	1.77
	<i>including</i>	59.97	62.00	2.03	1.50	14.73	176.3	3.09	20.60	1.83
		62.00	67.43	5.43	0.25	0.35	1.23	10.2	0.07	1.11

(1) Metal equivalency based on US\$3.25/lb Cu, US\$1,500/oz Au, US\$1.30/lb Zn, US\$23/oz Ag and US\$1.10/lb Pb; noting that no adjustments were made in the metal equivalency calculation for metal recovery, as this is still an early stage project

Drill hole CURI-275 also intersected low-grade stockwork directly underneath the massive sulphide mineralization from 62.00 to 67.43 metres for an approximate true thickness of 4.89 metres grading 0.25% copper, 0.35 g/t gold, 1.23% zinc, 10.2 g/t silver, and 0.07% lead.

Massive sulphide mineralization in drill hole CURI-277 has been caught up in a fault zone from 66.25 to 68.80 metres, so a representation of the true thickness may not be accurate. However, the mineralization has an apparent true thickness of 2.42 metres, grading 2.99% copper, 7.52 g/t gold, 9.51% zinc, 177.3 g/t silver, and 0.94% lead.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	CuEq ⁽¹⁾ (%)	Approx. True Thickness (m)
CURI-277	66.25	68.80	2.55	2.99	7.52	9.51	177.3	0.94	14.00	2.42
		85.36	96.30	10.94	0.62	0.14	1.71	5.5	1.47	10.39
	<i>including</i>	94.42	96.30	1.88	1.61	0.06	7.50	8.0	4.74	1.79

(1) Metal equivalency based on US\$3.25/lb Cu, US\$1,500/oz Au, US\$1.30/lb Zn, US\$23/oz Ag and US\$1.10/lb Pb; noting that no adjustments were made in the metal equivalency calculation for metal recovery, as this is still an early stage project

Drill hole CURI-277 also intersected a wide section of low-grade stockwork below the massive sulphide mineralization from 85.36 to 96.30 metres for an approximate true thickness of 10.39 metres grading 0.62% copper, 0.14 g/t gold, 1.71% zinc, 5.5 g/t silver, and 0.04% lead. A subset interval of higher-grade gold content occurs from 94.42 to 96.30 metres grading 1.61% copper, 0.06 g/t gold, 7.50% zinc, 8.0 g/t silver, and 0.03% lead.

Drill hole CURI-278 intersected massive sulphide mineralization from 55.98 to 60.56 metres for an approximate true thickness of 3.89 metres, grading 5.29% copper, 19.60 g/t gold, 31.75% zinc, 364.2 g/t silver, and 2.88% lead.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	CuEq ⁽¹⁾ (%)	Approx. True Thickness (m)
CURI-278	55.98	60.56	4.58	5.29	19.60	31.75	364.2	2.88	35.92	3.89

(1) Metal equivalency based on US\$3.25/lb Cu, US\$1,500/oz Au, US\$1.30/lb Zn, US\$23/oz Ag and US\$1.10/lb Pb; noting that no adjustments were made in the metal equivalency calculation for metal recovery, as this is still an early stage project

Drill hole CURI-279 intersected massive sulphide mineralization from 59.52 to 62.20 metres for an approximate true thickness of 2.55 metres, grading 6.99% copper, 2.98 g/t gold, 4.43% zinc, 81.6 g/t silver, and 0.35% lead. A subset interval of massive sulphide mineralization possesses significantly higher-grade zinc from 59.52 to 61.19 metres, grading 7.33% copper, 4.50g/t gold, 6.78% zinc, 107.2 g/t silver, and 0.53% lead. It should be noted that the bottom of the massive sulphide intercept is faulted from 61.19 to 62.20 metres.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	CuEq ⁽¹⁾ (%)	Approx. True Thickness (m)
CURI-279	59.52	62.20	2.68	6.99	2.98	4.43	81.6	0.35	11.73	2.55
including	59.52	61.19	1.67	7.33	4.50	6.78	107.2	0.53	14.36	1.59

(1) Metal equivalency based on US\$3.25/lb Cu, US\$1,500/oz Au, US\$1.30/lb Zn, US\$23/oz Ag and US\$1.10/lb Pb; noting that no adjustments were made in the metal equivalency calculation for metal recovery, as this is still an early stage project

Drill hole CURI-281 intersected a fault zone from 68.08 to 73.07 metres for an approximate true thickness of 4.24 metres; however, the upper contact was well mineralized from 68.08 to 68.65 metres, grading 1.63% copper, 0.30 g/t gold, 15.87% zinc, 17.0 g/t silver and 0.03% lead. It is likely the massive sulphide horizon got caught up in the fault structure.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	CuEq ⁽¹⁾ (%)	Approx. True Thickness (m)
CURI-281	68.08	68.65	0.57	1.63	0.30	15.87	17.0	0.03	8.37	0.48

(1) Metal equivalency based on US\$3.25/lb Cu, US\$1,500/oz Au, US\$1.30/lb Zn, US\$23/oz Ag and US\$1.10/lb Pb; noting that no adjustments were made in the metal equivalency calculation for metal recovery, as this is still an early stage project

In CURI-285, massive sulphide mineralization was intersected twice, first from 60.25 to 63.46 metres for a true thickness of 2.73 metres, grading 2.98% copper, 13.77 g/t gold, 26.27% zinc, 213.4 g/t silver, and 1.73% lead; and secondly from 73.26 to 81.42 metres for a true thickness of 6.94 metres, grading 2.17% copper, 19.67 g/t gold, 23.17% zinc, 229.0 g/t silver, and 4.01% lead. A subset interval of the second massive sulphide mineralization is of even higher grade from 74.36 to 78.07 metres, grading 3.00% copper, 36.55 g/t gold, 32.17% zinc, 411.3 g/t silver, and 6.80% lead.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	CuEq ⁽¹⁾ (%)	Approx. True Thickness (m)
CURI-285	60.25	63.46	3.21	2.98	13.77	26.27	213.4	1.73	25.54	2.73
	73.26	81.42	8.16	2.17	19.67	23.17	229.0	4.01	28.40	6.94
including	74.36	78.07	3.71	3.00	36.55	32.17	411.3	6.80	47.02	3.15
	83.00	105.00	22.00	0.25	0.38	1.73	4.0	0.03	1.25	18.70
including	84.00	85.95	1.95	1.79	3.11	2.69	18.5	0.02	5.16	1.66

(1) Metal equivalency based on US\$3.25/lb Cu, US\$1,500/oz Au, US\$1.30/lb Zn, US\$23/oz Ag and US\$1.10/lb Pb; noting that no adjustments were made in the metal equivalency calculation for metal recovery, as this is still an early stage project

In the footwall of the massive sulphide in CURI-285, the lower contact transitions into dacite volcanoclastic rocks and a wide intercept of low-grade stockwork that is mineralized and hydrothermally altered from 83.00 to 105.00 metres for a true thickness of 18.70 metres, grading 0.25% copper, 0.38 g/t gold, 1.73% zinc, 4.0 g/t silver, and 0.03% lead. A subset interval of semi-massive sulphide mineralization within the low-grade stockwork is of even higher grade from 84.00 to 85.95 metres, grading 1.79% copper, 3.11 g/t gold, 2.69% zinc, 18.53 g/t silver, and 0.02% lead.

Drill hole CURI-286 intersected an interval of precious metal-rich semi-massive mineralization that occurs from 52.37 to 55.86 metres for an approximate true thickness of 2.97 metres grading 0.66% copper, 11.26 g/t gold, 12.90% zinc, 111.6 g/t silver, and 1.65% lead. A subset interval of massive sulphide mineralization is of even higher grade from 52.37 to 55.17 metres, grading 0.66% copper, 13.69 g/t gold, 13.79% zinc, 135.5 g/t silver, and 2.05% lead. The bottom of the semi-massive sulphide mineralization is faulted from 55.17 to 55.86 metres.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	CuEq ⁽¹⁾ (%)	Approx. True Thickness (m)
CURI-286	52.37	55.86	3.49	0.66	11.26	12.90	111.6	1.65	15.11	2.97
including	52.37	55.17	2.80	0.66	13.69	13.79	135.5	2.05	17.48	2.38
including	55.17	55.86	0.69	0.63	1.45	9.28	14.6	0.03	5.48	0.59
	55.86	61.31	5.45	1.84	1.10	4.94	17.3	0.02	4.74	4.63
including	55.86	59.19	3.33	0.76	1.31	3.50	16.9	0.02	3.22	2.83
including	59.19	61.31	2.12	3.54	0.76	7.20	17.9	0.01	7.12	1.80

(1) Metal equivalency based on US\$3.25/lb Cu, US\$1,500/oz Au, US\$1.30/lb Zn, US\$23/oz Ag and US\$1.10/lb Pb; noting that no adjustments were made in the metal equivalency calculation for metal recovery, as this is still an early stage project

Drill hole CURI-286 also intersected below low-grade stockwork directly underneath the fault zone from 55.86 to 61.31 metres for an approximate true thickness of 4.63 metres grading 1.84% copper, 1.10 g/t gold, 4.94% zinc, 17.3 g/t silver, and 0.02% lead. A subset interval of semi-massive sulphide mineralization within the low-grade stockwork is of even higher grade from 59.19 to 61.31 metres, grading 3.54% copper, 0.76 g/t gold, 7.20% zinc, 17.9 g/t silver, and 0.01% lead.

Drill hole CURI-287 intersected a wide interval of massive sulphide mineralization that occurs from 98.53 to 114.00 metres for an approximate true thickness of 14.70 metres grading 3.02% copper, 1.31 g/t gold, 1.09% zinc, 16.2 g/t silver, and 0.03% lead. A subset interval of massive sulphide mineralization is of even higher grade from 108.77 to 111.83 metres, grading 10.24% copper, 1.59 g/t gold, 4.46% zinc, 37.9 g/t silver, and 0.02% lead.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	CuEq ⁽¹⁾ (%)	Approx. True Thickness (m)
CURI-287	98.53	114.00	15.47	3.02	1.31	1.09	16.2	0.03	4.52	14.70
including	98.53	105.40	6.87	0.33	1.69	0.36	9.8	0.02	1.72	6.53
including	105.40	107.70	2.30	1.71	0.61	0.04	5.4	0.01	2.20	2.19
including	107.70	114.00	6.30	6.42	1.14	2.28	27.0	0.05	8.39	5.99
including	108.77	111.83	3.06	10.24	1.59	4.46	37.9	0.02	13.49	2.91
	114.00	121.86	7.86	1.37	0.40	0.15	8.5	0.03	1.80	7.47

(1) Metal equivalency based on US\$3.25/lb Cu, US\$1,500/oz Au, US\$1.30/lb Zn, US\$23/oz Ag and US\$1.10/lb Pb; noting that no adjustments were made in the metal equivalency calculation for metal recovery, as this is still an early stage project

Drill hole CURI-287 also intersected well-mineralized gypsum hydrothermal alteration underneath the massive sulphide mineralization from 114.00 to 121.86 metres for an approximate true thickness of 7.47 metres grading 1.37% copper, 0.40 g/t gold, 0.15% zinc, 8.5 g/t silver, and 0.03% lead.

Drill hole CURI-288 intersected grainstone, a resedimented volcanoclastic rock with massive sulphide clasts, from 36.73 to 51.30 metres for an approximate true thickness of 12.38; however, only the interval from 44.00 to 50.27 metres had any significant mineralization, grading 4.20% copper, 6.16 g/t gold, 7.90% zinc, 172.7 g/t silver and 0.86% lead. A subset interval of possessing the largest number of massive sulphide clasts is of even higher grade from 46.35 to 48.10 metres, grading 11.16% copper, 14.30 g/t gold, 21.13% zinc, 461.0 g/t silver, and 1.93% lead.

Drill hole CURI-288 also intersected massive sulphide mineralization from 60.00 to 78.55 metres for an approximate true thickness of 15.77 metres grading 5.05% copper, 0.98 g/t gold, 0.19% zinc, 12.6 g/t silver, and 0.02% lead. A subset interval of massive sulphide mineralization is of even higher grade from 60.00 to 63.40 metres, grading 14.11% copper, 1.29 g/t gold, 0.13% zinc, 29.4 g/t silver, and 0.01% lead.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	CuEq ⁽¹⁾ (%)	Approx. True Thickness (m)
CURI-288	44.00	50.27	6.27	4.20	6.16	7.90	172.7	0.86	13.58	5.33
including	46.35	48.10	1.75	11.16	14.30	21.13	461.0	1.93	34.65	1.49
	60.00	78.55	18.55	5.05	0.98	0.19	12.6	0.02	5.92	15.77
including	60.00	63.40	3.40	14.11	1.29	0.13	29.4	0.01	15.34	2.89
including	66.17	71.08	4.91	6.31	0.85	0.06	10.0	0.01	7.01	4.17
including	75.50	78.55	3.05	2.06	0.54	0.08	4.0	0.01	2.50	2.59

(1) Metal equivalency based on US\$3.25/lb Cu, US\$1,500/oz Au, US\$1.30/lb Zn, US\$23/oz Ag and US\$1.10/lb Pb; noting that no adjustments were made in the metal equivalency calculation for metal recovery, as this is still an early stage project

Drill hole CURI-290 intersected a gold-rich zone of grainstone from 51.00 to 60.04 metres for an approximate true thickness of 7.68 metres that possessed resedimented clasts of massive sulphide mineralization and graded 0.09% copper, 3.15 g/t gold, 0.35% zinc, 25.6 g/t silver, and 0.06% lead. A subset interval of the gold-rich grainstone possesses higher-grade from 55.56 to 57.10 metres, grading 0.28% copper, 5.91 g/t gold, 1.11% zinc, 47.0 g/t silver, and 0.13% lead. Massive sulphide mineralization was intersected from 60.04 to 70.97 metres for an approximate true thickness of 9.29 metres, grading 1.72% copper, 4.09 g/t gold, 7.49% zinc, 89.2 g/t silver, and 0.67% lead. A subset interval of massive sulphide mineralization possesses significantly higher-grade from 60.04 to 62.04 metres, grading 1.76% copper, 16.01 g/t gold, 23.88% zinc, 208.5 g/t silver, and 1.81% lead.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	CuEq ⁽¹⁾ (%)	Approx. True Thickness (m)
CURI-290	51.00	60.04	9.04	0.09	3.15	0.35	25.6	0.06	2.63	7.68
<i>including</i>	55.56	57.10	1.54	0.28	5.91	1.11	47.0	0.13	5.23	1.31
	60.04	70.97	10.93	1.72	4.09	7.49	89.2	0.67	8.62	9.29
<i>including</i>	60.04	64.08	4.04	1.06	8.75	15.72	132.5	1.03	14.95	3.43
<i>including</i>	60.04	62.04	2.00	1.76	16.01	23.88	208.5	1.81	24.85	1.70
<i>including</i>	67.02	70.97	3.95	3.51	1.31	2.44	18.0	0.09	5.58	3.36

(1) Metal equivalency based on US\$3.25/lb Cu, US\$1,500/oz Au, US\$1.30/lb Zn, US\$23/oz Ag and US\$1.10/lb Pb; noting that no adjustments were made in the metal equivalency calculation for metal recovery, as this is still an early stage project

Drill hole CURI-292 also intersected a gold-rich zone of grainstone from 56.78 to 62.28 metres for an approximate true thickness of 4.95 metres that possessed resedimented clasts of massive sulphide mineralization and graded 0.31% copper, 2.58 g/t gold, 1.27% zinc, 45.6 g/t silver, and 0.18% lead. The grainstone transitions directly into massive sulphide mineralization from 62.28 to 89.75 metres for an approximate true thickness of 24.72 metres, grading 3.03% copper, 6.26 g/t gold, 1.79% zinc, 35.0 g/t silver, and 0.04% lead. A subset interval of massive sulphide mineralization possesses significantly higher-grade from 61.91 to 77.30 metres, grading 5.21% copper, 10.39 g/t gold, 3.17% zinc, 55.8 g/t silver, and 0.07% lead.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	CuEq ⁽¹⁾ (%)	Approx. True Thickness (m)
CURI-292	56.78	62.28	5.50	0.31	2.58	1.27	45.6	0.18	3.09	4.95
	62.28	89.75	27.47	3.03	6.26	1.79	35.0	0.04	8.33	24.72
<i>including</i>	61.91	82.20	20.29	4.08	8.30	2.41	45.6	0.06	11.12	18.26
<i>including</i>	61.91	77.30	15.39	5.21	10.39	3.17	55.8	0.07	14.07	13.85
<i>including</i>	61.91	67.75	5.84	4.68	19.19	7.75	106.8	0.14	21.85	5.26

(1) Metal equivalency based on US\$3.25/lb Cu, US\$1,500/oz Au, US\$1.30/lb Zn, US\$23/oz Ag and US\$1.10/lb Pb; noting that no adjustments were made in the metal equivalency calculation for metal recovery, as this is still an early stage project

Drill hole CURI-293 intersected well-mineralized grainstone from 63.17 to 66.67 metres for an approximate true thickness of 3.15 metres, grading 1.01% copper, 2.57 g/t gold, 1.41% zinc, 19.4 g/t silver, and 0.10% lead. The bottom contact of the grainstone is a well-mineralized fault zone with sulphide fragments that transitions into massive sulphide mineralization downhole. The fault was intersected from 89.15 to 91.53 metres, grading 1.44% copper, 1.47 g/t gold, 1.11% zinc, 16.3 g/t silver, and 0.04% lead. Massive sulphide mineralization occurs from 91.53 to 98.36 metres, grading 2.67% copper, 1.13 g/t gold, 0.05% zinc, 11.8 g/t silver, and 0.01% lead. A subset interval of massive sulphide mineralization possesses significantly higher-grade from 91.53 to 93.62 metres, grading 7.05% copper, 2.15 g/t gold, 0.10% zinc, 22.9 g/t silver, and 0.01% lead.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	CuEq ⁽¹⁾ (%)	Approx. True Thickness (m)
CURI-293	63.17	66.67	3.50	1.01	2.57	1.41	19.4	0.10	3.54	3.15
	89.15	91.53	2.38	1.44	1.47	1.11	16.3	0.04	3.06	2.14
	91.53	98.36	6.83	2.67	1.13	0.05	11.8	0.01	4.01	6.15
<i>including</i>	91.53	93.62	2.09	7.05	2.15	0.10	22.9	0.01	8.78	1.88

(1) Metal equivalency based on US\$3.25/lb Cu, US\$1,500/oz Au, US\$1.30/lb Zn, US\$23/oz Ag and US\$1.10/lb Pb; noting that no adjustments were made in the metal equivalency calculation for metal recovery, as this is still an early stage project

In CURI-295, a section of well-mineralized dacite volcanoclastic rocks was intersected from 69.75 to 78.84 metres directly above the massive sulphide mineralization. The mineralized section of volcanic rock has an approximate true thickness of 8.18 metres, grading 0.21% copper, 0.90 g/t gold, 2.37% zinc, 27.69 g/t silver, and 0.26% lead. The massive sulphide mineralization occurs from 78.84 to 80.22 metres, grading 4.49% copper, 6.75 g/t gold, 44.23% zinc, 262.0 g/t silver, and 1.95% lead.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	CuEq ⁽¹⁾ (%)	Approx. True Thickness (m)
CURI-295	69.24	69.75	0.51	0.24	7.79	2.60	61.1	0.62	7.36	0.46
	69.75	78.84	9.09	0.21	0.90	2.37	27.69	0.26	2.16	8.18
	78.84	80.22	1.38	4.49	6.75	44.23	262.0	1.95	30.09	1.24

(1) Metal equivalency based on US\$3.25/lb Cu, US\$1,500/oz Au, US\$1.30/lb Zn, US\$23/oz Ag and US\$1.10/lb Pb; noting that no adjustments were made in the metal equivalency calculation for metal recovery, as this is still an early stage project

Drill hole CURI-297, like CURI-290, CURI-292 and CURI-293, also intersected gold-rich grainstone from 44.96 to 52.43 metres, grading 0.06% copper, 2.75 g/t gold, 0.31% zinc, 12.1 g/t silver, and 0.17% lead. The semi-massive to massive sulphide mineralization is predominantly pyrite-rich with an approximate true thickness of 8.07 metres, occurring from 60.78 to 69.75 metres, grading 0.36% copper, 2.17 g/t gold, 0.81% zinc, 9.8 g/t silver, and 0.02% lead.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	CuEq ⁽¹⁾ (%)	Approx. True Thickness (m)
CURI-297	44.96	52.43	7.47	0.06	2.75	0.31	12.1	0.17	2.22	6.72
	60.78	69.75	8.97	0.36	2.17	0.81	9.8	0.02	2.28	8.07

(1) Metal equivalency based on US\$3.25/lb Cu, US\$1,500/oz Au, US\$1.30/lb Zn, US\$23/oz Ag and US\$1.10/lb Pb; noting that no adjustments were made in the metal equivalency calculation for metal recovery, as this is still an early stage project

Drill hole CURI-300 intersected a gold-rich zone of fault-entrained massive sulphide mineralization from 64.35 to 69.00 metres for an approximate true thickness of 1.48 metres grading 1.74% copper, 10.93 g/t gold, 13.60% zinc, 393.5 g/t silver, and 2.03% lead. Massive sulphide mineralization was then intersected from 69.00 to 90.10 metres for an approximate true thickness of 17.94 metres, grading 5.49% copper, 3.94 g/t gold, 2.77% zinc, 42.3 g/t silver, and 0.19% lead. A subset interval of massive sulphide mineralization contains significantly higher-grade from 69.00 to 77.70 metres, grading 11.31% copper, 7.81 g/t gold, 6.57% zinc, 90.9 g/t silver, and 0.44% lead.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	CuEq ⁽¹⁾ (%)	Approx. True Thickness (m)
CURI-300	64.35	69.00	4.65	1.74	10.93	13.60	393.5	2.03	19.28	1.48
	69.00	90.10	21.10	5.49	3.94	2.77	42.3	0.19	9.75	17.94
	<i>including</i>	69.00	77.70	8.70	11.31	7.81	6.57	90.9	0.44	20.28

(1) Metal equivalency based on US\$3.25/lb Cu, US\$1,500/oz Au, US\$1.30/lb Zn, US\$23/oz Ag and US\$1.10/lb Pb; noting that no adjustments were made in the metal equivalency calculation for metal recovery, as this is still an early stage project

Drill hole CURI-301 intersected massive to semi-massive sulphide mineralization occurs from 47.41 to 64.64 metres for a true thickness of 15.51 metres, grading 3.75% copper, 3.12 g/t gold, 3.32% zinc, 48.5 g/t silver, and 0.21% lead. A subset interval of massive sulphide mineralization possesses significantly higher-grade from 47.41 to 50.12 metres, grading 9.21% copper, 11.91 g/t gold, 17.69% zinc, 220.6 g/t silver, and 1.21% lead.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	CuEq ⁽¹⁾ (%)	Approx. True Thickness (m)
CURI-301	47.41	64.64	17.23	3.75	3.12	3.32	48.5	0.21	7.75	15.51
<i>including</i>	47.41	50.12	2.71	9.21	11.91	17.69	220.6	1.21	26.99	2.44
<i>including</i>	56.04	59.70	3.66	5.19	1.69	2.29	32.5	0.05	7.60	3.29
<i>including</i>	61.87	64.64	2.77	5.65	1.65	0.12	14.3	0.01	6.96	2.49

(1) Metal equivalency based on US\$3.25/lb Cu, US\$1,500/oz Au, US\$1.30/lb Zn, US\$23/oz Ag and US\$1.10/lb Pb; noting that no adjustments were made in the metal equivalency calculation for metal recovery, as this is still an early stage project

CURI-302 intersected a fault-entrained portion of massive sulphide from 71.47 to 74.57 metres for a true thickness of 2.95 metres, grading 0.50% copper, 3.39 g/t gold, 8.02% zinc, 82.0 g/t silver, and 0.96% lead at the at between the hanging wall lapilli resedimented volcanoclastic rocks and footwall dacite autobreccia volcanoclastic rocks. A subset of the faulted massive sulphide had higher grades from 72.60 to 73.74 metres, grading 0.48% copper, 6.96 g/t gold, 18.65% zinc, 175.5 g/t silver, and 2.44% lead.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	CuEq ⁽¹⁾ (%)	Approx. True Thickness (m)
CURI-302	71.47	74.57	3.10	0.50	3.39	8.02	82.0	0.96	7.16	2.95
<i>including</i>	72.60	73.74	1.14	0.48	6.96	18.65	175.5	2.44	15.26	1.08

(1) Metal equivalency based on US\$3.25/lb Cu, US\$1,500/oz Au, US\$1.30/lb Zn, US\$23/oz Ag and US\$1.10/lb Pb; noting that no adjustments were made in the metal equivalency calculation for metal recovery, as this is still an early stage project

In CURI-303, a section of low-grade stockwork in the footwall dacite volcanoclastic rocks was intersected from 50.42 to 101.07 metres for a true thickness of 45.59 metres, grading 0.06% copper, 0.15 g/t gold, 0.76% zinc, 6.6 g/t silver, and 0.03% lead. A subset possessed slightly higher grades from 50.42 to 72.00 metres, grading 0.09% copper, 0.20 g/t gold, 1.16% zinc, 11.2 g/t silver, and 0.05% lead.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	CuEq ⁽¹⁾ (%)	Approx. True Thickness (m)
CURI-303	50.42	101.07	50.65	0.06	0.15	0.76	6.6	0.03	0.54	45.59
	50.42	72.00	21.58	0.09	0.20	1.16	11.2	0.05	0.82	19.42

(1) Metal equivalency based on US\$3.25/lb Cu, US\$1,500/oz Au, US\$1.30/lb Zn, US\$23/oz Ag and US\$1.10/lb Pb; noting that no adjustments were made in the metal equivalency calculation for metal recovery, as this is still an early stage project

Drill hole CURI-298, CURI-304, and CURI-305 intersected gold-rich grainstone above a highly pyritic, lower-grade massive sulphide unit. CURI-306 did not intersect mineralized grainstone, however, did have massive sulphide and semi-massive sulphide units separated by a zone of intense gypsum hydrothermal alteration. Results for these drill holes is tabulated below.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	CuEq ⁽¹⁾ (%)	Approx. True Thickness (m)
CURI-298	75.10	78.48	3.38	0.57	0.98	0.47	16.3	0.09	1.62	3.21
	115.27	125.17	9.90	0.65	0.34	0.19	5.6	0.02	1.02	9.41
CURI-304	92.43	97.17	4.74	0.58	3.10	2.59	57.7	0.42	4.44	4.03
	102.67	115.00	12.33	0.50	1.30	0.10	7.7	0.00	1.49	10.48
CURI-305	102.84	113.75	10.91	0.71	2.78	2.64	63.0	0.28	4.38	10.36
	113.75	115.70	1.95	0.59	1.46	2.24	26.8	0.18	2.81	1.85
	119.78	123.00	3.22	0.06	0.91	0.03	5.9	0.00	0.75	3.06
CURI-306	133.61	134.97	1.36	1.28	0.35	0.26	8.4	0.02	1.71	1.29

(1) Metal equivalency based on US\$3.25/lb Cu, US\$1,500/oz Au, US\$1.30/lb Zn, US\$23/oz Ag and US\$1.10/lb Pb; noting that no adjustments were made in the metal equivalency calculation for metal recovery, as this is still an early stage project

Other Drilling Results

Drill holes CURI-240 through CURI-249, and CURI-251 were designed to probe the favourable geology south of El Domo. To date, drilling successfully completed approximately 2,560 metres from a planned 2,500 metre work program that completed on schedule. Eleven exploration drill holes were successfully completed with all having passed QAQC.

Although these drill holes did intersect the favourable volcanic strata with hydrothermal alteration of the footwall rocks for El Domo, no semi-massive to massive sulphide mineralization was intersected. Several drill holes did, however, intersect wide intercepts of low-grade stockwork that could correspond to other similar low-grade stockwork zones stratigraphically below El Domo, approximately 420 metres to the north, and those recently identified at Sesmo target, approximately 1,900 metres to the northwest (see April 30, 2018 news release).

These newly identified occurrences need to be reviewed in the context of how they link to the extensive hydrothermal plumbing system that drove the formation of massive sulphide mineralization at El Domo and how it is related to the Sesmo

target. The drill holes have also confirmed modelling done by RPA of the southern margin of the deposit and provide excellent geological control for future modelling studies.

Drill Hole	From (m)	To (m)	Thickness (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)	Approx. True Thickness (m)	
CURI-240	81.43	86.78	5.35	0.09	2.49	0.75	57.5	0.29	4.55	
<i>Including</i>	82.46	84.43	1.97	0.09	5.41	0.97	131.8	0.51	1.67	
	93.86	98.21	4.35	0.12	0.24	1.45	4.5	0.07	3.70	
CURI-241	75.90	92.37	16.47	0.06	0.29	0.93	3.8	0.04	14.00	
<i>Including</i>	76.86	87.05	10.19	0.05	0.35	1.08	4.3	0.04	8.66	
CURI-242	76.55	82.60	6.05	0.07	0.51	1.13	21.8	0.16	5.15	
<i>Including</i>	78.05	81.00	2.95	0.12	0.51	1.96	18.0	0.28	2.51	
CURI-243	113.65	121.86	8.21	0.11	0.19	1.59	4.9	0.10	6.98	
<i>Including</i>	116.90	121.86	4.96	0.13	0.17	2.07	4.0	0.03	4.22	
CURI-244	105.86	118.70	12.84	0.14	0.21	1.43	8.3	0.21	10.91	
<i>Including</i>	114.00	118.70	4.70	0.25	0.06	2.71	7.5	0.06	4.00	
CURI-245				<i>No Significant Results</i>						
CURI-246	142.00	143.00	1.00	0.26	0.09	2.54	0.5	0.00	0.85	
	162.00	163.00	1.00	1.80	0.10	0.27	1.9	0.00	0.85	
CURI-247	131.44	133.00	1.56	0.35	0.10	3.64	5.2	0.56	1.33	
CURI-248				<i>No Significant Results</i>						
CURI-249				<i>No Significant Results</i>						
CURI-251				<i>No Significant Results</i>						

Drill holes CURI-255, CURI-282, CURI-283, CURI-284, CURI-291, CURI-294, CURI-296, and CURI-299 were designed to test the southerly limits of the known massive sulphide mineralization and further assess the pit wall geology. This drill hole intersected favourable strata including both the grainstone, which is a resedimented volcanoclastic unit containing pebbles and cobbles of massive sulphide mineralization, and a fine-grained felsic volcanoclastic tuff-sized material known to occur directly above the massive sulphide mineralization; however, no semi-massive to massive sulphide minerals were intersected. CURI-269 also did not intersect massive sulphide mineralization; however, it did intersect a low-grade stockwork zone within dacite volcanoclastic rocks from 86.50 to 98.37 metres that corresponds to other similar low-grade stockwork zones stratigraphically below El Domo. These drill holes confirmed modelling done by RPA along the margins of the deposit and provide excellent geological control for future modelling studies.

CURI-256 did intersect a low-grade stockwork zone within dacite volcanoclastic rocks from 108.52 to 119.21 metres that corresponds to other similar low-grade stockwork zones stratigraphically below El Domo such as above in drill hole CURI-253. CURI-269 also did not intersect massive sulphide mineralization; however, it did intersect a low-grade stockwork zone within dacite volcanoclastic rocks from 86.50 to 98.37 metres that corresponds to other similar low-grade stockwork zones stratigraphically below El Domo. These drill holes have also confirmed modelling done by RPA along the southern margin of the deposit and provide excellent geological control for future modelling studies.

Some drill holes had fault related intercepts where it is possible the mineralized horizon has been caught up in a structure. Drill hole CURI-276 intersected mineralization in a fault that appears as sulphide fragments from 78.00 to 90.00 metres for a true thickness of 10.20 metres grading 0.28% copper, 1.69 g/t gold, 2.18% zinc, 39.3 g/t silver, and 0.40% lead. Drill hole CURI-280 intersected weak mineralization in a fault from 43.46 to 44.14 metres for a true thickness of 0.58 metres grading 0.25% copper, 1.01 g/t gold, 3.76% zinc, 45.0 g/t silver, and 0.20% lead. Drill hole CURI-289 intersected semi-massive sulphide mineralization structurally intermixed with dacite volcanoclastic rocks from 50.15 to 59.00 metres for an approximate true thickness of 7.52 metres grading 0.18% copper, 0.46 g/t gold, 0.68% zinc, 13.4 g/t silver, and 0.06% lead.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	CuEq ⁽¹⁾ (%)	Approx. True Thickness (m)
CURI-276	78.00	90.00	12.00	0.28	1.69	2.18	39.3	0.40	2.83	10.20
CURI-280	43.46	44.14	0.68	0.25	1.01	3.76	45.0	0.20	2.97	0.58
CURI-289	50.15	59.00	8.85	0.18	0.46	0.68	13.4	0.06	0.92	7.52

(1) Metal equivalency based on US\$3.25/lb Cu, US\$1,500/oz Au, US\$1.30/lb Zn, US\$23/oz Ag and US\$1.10/lb Pb; noting that no adjustments were made in the metal equivalency calculation for metal recovery, as this is still an early stage project

Sesmo drilling results

Drilling at Sesmo target started in mid-March 2018. The first drill hole, CURI-254, had to be halted in mineralization at a depth of 24.50 metres due to in-hole weathered rock conditions and loss of water pressure. CURI-254A was therefore recollared at the same location at a steeper angle and was successfully drilled to a target depth of 209.50 metres. CURI-254 intersected brecciated and altered dacitic volcanic rocks contain barite and minor base metal sulphide mineralization that returned 11.56 metres grading 3.65 g/t gold, 77.2 g/t silver, 0.01% copper, 0.10% lead and 0.27% zinc from 12.94 to the end of the hole at 24.50 metres. The mineralized zone appears to possess a weak fabric, suggestive of minor structural modification; however, given the limited exposure, more work is required to ascertain the true nature of any structural influence.

Drill Hole	From (m)	To (m)	Thickness (m)	Cu (%)	Au (g/t)	Zn (%)	Ag (g/t)	Pb (%)	Approx. True Thickness (m)
CURI-254	12.94	24.50	11.56	0.01	3.65	0.27	77.2	0.10	(1)
<i>including</i>	21.20	24.50	3.30	0.01	6.10	0.48	53.0	0.22	(1)

(1) Due to the early stage of exploration and lack of geological information, no estimate of true thickness can be made at this time.

The intercept in CURI-254A returned 19.88 metres, from 10.12 to 30.00 metres, grading 4.30 g/t gold, 95.1 g/t silver, 0.09% copper, 0.33% lead, and 0.72% zinc. A 3.30 metre subset interval from 25.20 to 28.50 metres, graded 17.38 g/t gold, 159.9 g/t silver, 0.36% copper, 0.99% lead, and 2.51% zinc. Further down the hole a zone of base metal stockwork mineralization was encountered that included an intercept of 0.26 g/t gold, 3.6 g/t silver, 0.07% copper, 0.56% lead, and 1.18% zinc over 19.42 metres. This zone was described as sharing strong geologic similarities with footwall stockwork zones that typically underlie the nearby El Domo deposit.

Drill Hole	From (m)	To (m)	Thickness (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)	Approx. True Thickness (m)
CURI-254A	10.12	30.00	19.88	4.30	95.1	0.09	0.33	0.72	(1)
<i>Including</i>	20.65	28.50	7.85	7.76	75.9	0.20	0.70	1.48	(1)
<i>Including</i>	25.20	28.50	3.30	17.38	159.9	0.36	0.99	2.51	(1)
	47.10	66.13	19.42	0.26	3.6	0.07	0.56	1.18	(1)
<i>Including</i>	47.10	53.43	6.33	0.20	5.0	0.13	0.83	2.01	(1)
<i>Including</i>	58.53	66.13	7.60	0.38	3.1	0.04	0.43	0.89	(1)

(1) Due to the early stage of exploration and lack of geological information, no estimate of true thickness can be made at this time.

Drill hole CURI-274 was designed to test for the southwesterly, downdip extension of a zone of precious metal rich stockwork mineralization that was identified in CURI-254A. This drill hole successfully intersected several zones of precious metal rich stockwork mineralization with the most significant, occurring from 141.67 to 154.72 metres, grading 5.70 g/t gold, 12.5 g/t silver, 0.07% copper, 0.36% lead, and 0.70% zinc over a core length of 13.05-metres. A subset of this interval from 143.75 to 149.48 metres returned 10.25 g/t gold, 23.2 g/t silver, 0.11% copper, 0.48% lead and 0.88% zinc over a 5.73-metre core length.

Drill Hole	From (m)	To (m)	Thickness (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)	Approx. True Thickness (m)
CURI-274	20.14	26.00	5.86	1.89	17.58	0.01	0.07	0.15	(1)
<i>Including</i>	22.16	26.00	3.84	2.57	20.20	0.01	0.10	0.21	(1)
	44.65	51.67	7.02	1.40	61.99	0.01	0.07	0.15	(1)
	64.20	67.09	2.89	0.20	4.99	0.20	0.60	1.87	(1)
	110.01	113.47	3.46	0.44	9.77	0.12	0.19	1.24	(1)
	141.67	171.26	29.59	2.65	7.21	0.05	0.28	0.60	(1)
<i>Including</i>	141.67	154.72	13.05	5.70	12.54	0.07	0.36	0.70	(1)
<i>Including</i>	143.75	149.48	5.73	10.25	23.21	0.11	0.48	0.88	(1)
<i>Including</i>	163.80	167.73	3.93	0.59	2.00	0.03	0.17	0.31	(1)

(1) Due to the early stage of exploration and lack of geological information, no estimate of true thickness can be made at this time

The positive results from CURI-274 confirm continued target generation on the Sesmo target through integration of new geological, geochemical, and geophysical data, as it becomes available. A new drilling proposal has been engineered by the technical team to leverage off the positive results in CURI-274, and once approved, a drill rig will be moved to restart exploration drilling. To support the restart of exploration drilling, core orientation equipment has been sourced to aid the collection of structural measurements that will be used to build a stronger geological model. The subtle nature of the mineralization appears to be a different style of stockwork compared to the typical low-grade stockwork noted throughout the Curipamba project area.

The subtle nature of the mineralization observed in CURI-274 has led the technical team to resample CURI-263 and CURI-271. Results from the resampling program are expected once data has been received from the laboratory and passed quality control and quality assurance (“QAQC”) protocols. However, it should be noted that CURI-263 did have a near-surface, low-grade stockwork interval from 45.13 to 71.83 metres, grading 0.08 g/t gold, 2.0 g/t silver, 0.03% copper, 0.24% lead and 0.71% zinc. A subset of this interval from 45.13 to 49.67 metres returned slightly higher grade at 0.17 g/t gold, 3.8 g/t silver, 0.10% copper, 0.47% lead, and 1.40% zinc. CURI-271, located approximately 275 metres southeast of the main Sesmo showing, initially yielded only geochemically anomalous results. The technical team is reviewing both CURI-258 and CURI-267 for resampling based upon the results from CURI-274. Both drill holes yielded only geochemically anomalous results. CURI-258 is located approximately 650 metres to the southeast of the main Sesmo showing, whereas CURI-267 is located approximately 375 metres to the northwest of the main Sesmo showing.

Adventus and Salazar staff will continue to refine their target generation process as new data becomes available.

Technical Information Quality Control & Quality Assurance

The Curipamba project work program is being managed and reviewed by Vice President Exploration, Jason Dunning, M.Sc., P.Geo., a Qualified Person within the meaning of NI 43-101. Salazar staff collect and process samples that are securely sealed and shipped to Bureau Veritas (“BV”) in Quito for sample preparation that includes crushing and milling to prepare pulps that are then split for shipment to their facility in Lima, Peru for analysis. All assay data have undergone internal validation of QAQC; noting there is an established sampling control program with blind insertion of assay blanks, certified industry standards and sample duplicates for the Curipamba project. A QAQC program is also in place at BV and includes insertion of blanks, standards and duplicate reanalysis of selected samples. BV’s quality system complies with the requirements for the International Standards ISO 9001:2000 and ISO 17025: 1999. At BV, gold is analyzed by classical fire assay techniques with an ICP-AES finish, and both silver and base metals are analyzed by a 44-element aqua regia ICP-AES technique. Overlimit protocols are in place for gold, silver, copper, lead, and zinc.

Exploration Alliance – Pijilí project

The Pijilí project consists of three concessions totalling 3,246 hectares that is subject to a US\$5 million spending commitment over 4 years. Pijilí is located in the province of Azuay, approximately 150 km from the major port city of Guayaquil. The Pijilí project is an untested epithermal gold-silver target, although there are opinions that there is a broader, larger scale porphyry target present.

The Pijilí project has never been explored with modern exploration techniques, such as geophysics, nor has there been any systematic geological mapping, geochemical sampling, trenching and/or drilling undertaken. Small-scale, legally permitted artisanal mining operations adjacent to the property are following precious metal-bearing structures via several small open pits and underground tunnels. It is also important to note the presence of secondary copper mineralization that is visible along the walls of the small open pits. Salazar staff have noted copper sulphide-bearing (chalcopyrite) veins in a valley bottom at the confluence of major creeks that also requires additional follow-up.

The initial 18-month program will entail detailed prospecting, surficial sampling, geological and structural mapping, implementation of a PIMA/TerraSpec for detailed hydrothermal alteration mineral studies, and geophysics. An airborne geophysical survey is expected to be completed by year-end, with an initial drill program planned for early 2019.

Exploration Alliance – Santiago project

The Santiago Project consists of a single concession that encompasses 2,350 hectares and is currently 100%-owned by Salazar. It is located in a geological setting similar to the nearby Loma Larga deposit owned by INV Metals Inc. and is considered

prospective for epithermal gold and silver and porphyry copper gold deposits. It features three large, surficial geochemistry anomalies for gold, copper, and zinc. Numerous vein occurrences have been identified on the property thus far, which have yielded good chip sampling results for both gold and silver, including the following highlights (see Salazar news release for technical summary on February 23, 2012):

Española Vein: (up to 3 metres width)

- 2.0 m @ 28.10 g/t gold and 231.0 g/t silver
- 1.0 m @ 26.00 g/t gold and 242.0 g/t silver
- 1.0 m @ 18.20 g/t gold and 252.0 g/t silver
- 1.0 m @ 4.80 g/t gold and 442.0 g/t silver

Structure Quartz-Tourmaline: (3 metres width)

- 1.9 m @ 1.19 g/t gold, 14.3 g/t silver and 296 ppm molybdenum
- 3.3 m @ 0.59 g/t gold, 36.6 g/t silver and 390 ppm molybdenum

Ribs Zone and Ancha Vein: (up to 5 metres width)

- 1.0 m @ 1.29 g/t gold and >100 g/t silver
- 1.0 m @ 1.65 g/t gold and >100 g/t silver

Structure F.U.: (1.5 metres width)

- 1.4 m @ 4.80 g/t gold and 378.0 g/t silver
- 1.2 m @ 6.40 g/t gold and 136.0 g/t silver
- 1.2 m @ 4.20 g/t gold and 183.0 g/t silver

There have also been historically modest drilling campaigns by two operators on the property, including Newmont Mining Corporation in the mid-1990s that reported wide drill intercepts for copper-gold from surface. Unfortunately, these historic drill results cannot be verified, as the drill core is unavailable. Additional work, including drilling, will be required to validate these reported historical drill results.

The initial 24-month program will entail detailed prospecting, surficial sampling, geological and structural mapping, implementation of a PIMA/TerraSpec for detailed hydrothermal alteration mineral studies, and geophysics. Drilling will be considered once a target generation evaluation is completed. Adventus and Salazar are in planning discussions for the exploration program at Santiago to be commenced during 2019.

NEWFOUNDLAND PROJECTS

The Canstar Transaction closed on July 30, 2018 and resulted in the consolidation of Newfoundland mineral properties of the three companies around the Buchans camp, covering some 45,000 hectares of land. Since closing, Canstar has initiated a comprehensive 2018 exploration program focused on the Buchans camp.

IRISH PROJECTS

The Corporation currently holds 62 exploration prospecting licenses in the Republic of Ireland, comprising seven separate blocks (with one joint venture with Teck Ireland) across the principal prospective areas of the North Midlands and South West Ireland. The licenses are issued by the Exploration and Mining Division (EMD) of the Department of Communications, Climate Action and Environment (DCCA) and grant the right to explore for base metals, barytes (barite), silver and gold across the licensed areas. This includes the 21 additional licenses covering Millstreet and Charleville added in 2018.

Exploration activity during the nine months ended September 30, 2018 have been focused on the Rathkeale and Lismore blocks, in particular the interpretation of the seismic survey carried out in 2017. The Corporation continues to explore alternatives to conduct exploration work on these properties in a phased approach.

Lismore

The Lismore Block consists of six, non-surveyed prospecting licences that cover an area of approximately 163.7 km² within County Waterford in the Republic of Ireland. The project covers prospective Waulsortian strata with a recently discovered discrete zone of younger Viséan limestone, shale and sedimentary breccias (Dr. M. Philcox. 1976 & 2017) that was previously mis-identified as Waulsortian. These strata are being interpreted by the Corporation as a structurally-controlled sag facies that display elevated zinc values. Historical drilling proximal to these sag zones have encountered shallow, near surface low-grade mineralization and clay alteration at Ballyduff-Glenbeg and Ballinanchor).

The Corporation's field work has identified two broad target areas where preserved zinc-lead sulphide mineralization may exist beneath Viséan cover rocks previously mis-identified as Waulsortian, lithologies proximal to an extensional structure, down-dip from anomalous soils and sub-cropping hydrothermal dolomite breccias. The new interpretation for the Lismore block means that the Corporation is targeting deeper mineral potential that is down-dip from the historical low-grade discoveries near surface at Ballinanchor and Ballyduff-Glenbeg that has never been tested.

The Ballinanchor breccia is a 500 metre by 250 metre zone of sub-cropping, sphalerite-bearing, hydrothermal dolomite breccia units near the base of Waulsortian that was drilled by Navan Resources in 1994-1995. The Corporation's recent field work has shown the mineralization is juxtaposed against a section of Viséan strata. Chip sampling of historical drill holes into the Viséan strata reported intersections of up to 3.0 metre grading 2.3% zinc and 8.5 metres grading 1.4% zinc in historical drill hole DDC3-17. An east-west southerly bounding fault juxtaposes the Viséan against the sub-Waulsortian, Ballysteen Limestone (ABL) with a throw of at least 350 metre northwards.

The Corporation now interprets these mineralized breccia units as sub-cropping on a structural high across a south-stepping, structural relay zone and that the younger Viséan package lies above a structurally controlled sag at a relay. Although there are indications that other historical operators such as Billiton-Central Mining Finance knew the Viséan strata at Ballinanchor was being mis-interpreted as Waulsortian, it is clear that historical drilling failed to test the target horizon, thereby supporting the need for deeper drilling at Ballinanchor.

The Ballyduff breccia is a 1,500 metre by 300 metre zone drilled on three north-south fences, from west to east, at Bawnbrack, Ballyduff and Glenbeg. The Corporation's relogging of historical drill hole LS-81-45, when placed in context of micro-palaeontological dating, revealed that Viséan strata are overlying and therefore juxtaposed against the Waulsortian across an inferred fault. Historical drill hole LS-81-45 at Glenbeg collared in and terminated within Viséan strata at 176.8 metres without intersecting the Waulsortian or any associated breccia. This fact suggests a possible downthrow southwards on the order of 200 metres across the inferred fault.

Historical drilling by previous operators at Glenbeg intersected sphalerite-bearing hydrothermal breccias with historical intersections recording up to 12.8 metres grading 2.95% zinc from 162.5 metre in historical drill hole DDC3-4; including 1.5 metre grading 8.47% zinc from 165.5 metres. Within this latter intersection is a 15-centimetre zone of 14.7% zinc demonstrating the potential of the system to generate ore-grade mineral. The Glenbeg breccias may represent up dip mineralization, meaning that there is an untested southward area, down-dip area across the fault. As such, the Corporation believes that drilling is also appropriate at Glenbeg).

Rathkeale

The Rathkeale license block ("Rathkeale Block") consists of eight non-surveyed prospecting licenses covering an area of approximately 256.7 km² and is located within County Limerick of Republic of Ireland. The block is centered at 8° 51' 56" West and 52° 33' 24" North and is registered to Adventus Zinc Ireland Limited, a wholly owned subsidiary of the Corporation. The licenses, issued by the EMD, grant the right to explore for base metals, barytes (barite), silver and gold - the licenses, which are valid to September 21, 2022, are currently held in good standing with EMD.

It was originally thought the structures of the Rathkeale Block were north-dipping with the prospective Waulsortian strata on a northern hanging wall, but results from Adventus' seismic survey revealed two half-grabens controlled by large, south-dipping fault complexes. This radical departure from the traditionally accepted structural interpretation of the area means

that prior operators would have mistakenly been targeting host rocks on the northern side of fault structures, believing the rocks represented hanging wall strata. The revised interpretation represents an important advance in the understanding of the geology of the area, opening untested target areas proximal to known mineralization.

An additional key observation is that under a south-dipping structural regime, the potential relay(s) between structures within a bifurcating rift, as represented by the GH, GB and N faults, would be to the north. As a northward relay would be expected, this structural orientation suggests that the key area of interest is along strike from Pallas Green to the west and north, where inferred relays would place permissive structural zones along the GB Fault and N Fault respectively.

To assist further with the interpretation of the seismic survey results, drill core was relogged at both GSI and Boliden core storage facilities. A total of nine historical drill holes were studied including the collection of magnetic susceptibility measurements to link ground magnetic survey data to geology. The review of drill core was highly successful in defining links between seismic reflectors and the favourable strata typically known for zinc-lead mineral potential. In certain cases, subtle features within the seismic data could be traced back to variation in the drill core such as weak lithological contrasts.

Successful results from a pilot surficial geochemistry orientation survey justified a larger-scale survey that combined the use of ionic leach and pH analytes from the A-Horizon, as well as a more standard multi-element analysis from the B-Horizon. The objective of this larger-scale survey was to delineate geochemical anomalies adjacent to the newly interpreted structures from the seismic survey that could indicate potential leakage from concealed massive sulphide source.

Other Irish blocks

During the nine months ended September 30, 2018, no work was done on the Kingscourt block while an amount of \$80,443 was spent on Shrule, Gaine River, Moyvore, Fermoy, Charleville and Millstreet. Because of the identification of various drill-ready targets, and the shift of the Corporation's focus, the Shrule, Gaine River and Moyvore blocks were relinquished in favour of the more prospective Charleville (10 licences, approximately 300 km²) and Millstreet licences (11 licences, approximately 330 km²) and the Shrule, Gaine River and Moyvore projects were written off in the first quarter of 2018.

QUALIFIED PERSON

The technical information contained in this exploration update for the Corporation's properties at Ecuador and the Republic of Ireland has been reviewed and approved by Vice President, Exploration, Jason Dunning, M. Sc., P. Geo., as a Qualified Person in accordance with National Instrument 43-101.

RESULTS OF OPERATIONS

The Corporation does not have any revenue from customers under contract.

The following net expense information is derived from the Corporation's condensed consolidated financial statements for the three and nine months ended September 30, 2018.

	For the three months ended September 30.		For the nine months ended September 30.	
	2018	2017	2018	2017
Expenses and other income				
Salaries and benefits	\$ 367,765	\$ 208,608	\$ 983,697	\$ 853,761
Professional and consulting fees	163,604	179,116	390,485	536,633
Office and administrative	141,861	54,568	405,272	137,372
General and administrative	\$ 673,230	\$ 442,292	\$ 1,779,454	\$ 1,527,766
Share-based compensation	156,824	148,473	503,287	381,787
Generative exploration	338,083	-	463,881	6,907
Exploration and evaluation assets abandoned or impaired	-	-	161,072	-
Depreciation	8,490	799	21,984	2,397
Foreign exchange loss (gain)	266,166	1,550	(200,839)	3,877
Interest income	(50,813)	-	(95,393)	-
Other income	(800,000)	-	(800,000)	-
Gain on disposal of investments	(3,136,175)	-	(3,136,175)	-
Share of loss in associates	35,647	-	35,647	-
Net expenses/(income)	\$ (2,508,548)	\$ 593,114	\$ (1,267,082)	\$ 1,922,734

During the nine months ended September 30, 2018, the Corporation recorded a total interest income of \$95,393 while there was none in the same period ended September 30, 2017, reflecting interest on funds received from the various financings in 2017 and 2018.

The salaries and benefits expenditures for the nine months ended September 30, 2018 was increased by \$129,936 from the same period in 2017, while that of the three months ended September 30, 2018 was \$159,157 more than that of the three months ended September 30, 2017. This is mainly because of the increase in staffing level in 2018 which was offset by a \$150,000 signing bonus for VP Corporate Development in March 2017 as well as higher accrued bonuses in the first quarter of 2017. An increase of \$121,500 in share-based compensation in the nine months ended September 30, 2018 over the same period in 2017 can be attributed to the vesting of a higher number of share options issued to management following the appointment of additional officers in the last quarter of 2017.

In 2017, the Corporation went through a shortlist of potentially available advanced stage mineral projects to identify those which may offer targets with good potential for the Corporation to acquire and explore. For most of 2017, the Corporation utilized a core team of external consultants and professionals for due diligence work. By the end of 2017, the Corporation was well staffed and less reliance was placed on external consultants and professionals. During the nine months ended September 30, 2018, there is a decrease of \$146,148 in professional and consulting fees over the same period in 2017, due mainly to the lower level of external due diligence work required.

Office and administrative costs grew by \$267,900 to \$405,272, attributable to the increase in travel and accommodation to identify opportunities, increased marketing effort to seek new investors, the rental of office space, and general expenditures associated with a public issuer since its initial public offering in February 2017.

The foreign exchange gain recorded in the nine months ended September 30, 2018 arose as the options to acquire mineral interests were denominated in US dollars, and hence gave rise to foreign exchange difference when these amounts are retranslated into the Corporation's functional currency using the spot rates at each quarter. This compares with the low foreign exchange loss in the same period in 2017 when the options were not yet acquired.

The increase in generative exploration in the nine months ended September 30, 2018 of \$456,974 over the same period in 2017 reflected mainly exploration expenditures in the Alliance in Ecuador, and some exploration work in Ireland, as well as the annual advance payment of US\$250,000 payable to Salazar pursuant to the Option Agreement. In the first quarter of 2018, the decision is made to apply for new concessions in Ireland and to relinquish three existing projects in favour of the new concessions. As a result, there was a \$161,072 charge to the quarter, compared to \$Nil in the same period in 2017.

FINANCIAL CONDITIONS, LIQUIDITY AND CAPITAL RESOURCES

As at September 30, 2018, the Corporation had 71,004,925 common shares issued and outstanding (December 31, 2017: 56,933,652).

As at September 30, 2018, the Corporation had a working capital of \$10,423,859 (December 31, 2017: \$10,603,117). This included cash and cash equivalents of \$11,353,057 (December 31, 2017: \$10,784,319), consisting of \$2,252,006 cash on hand and \$9,101,051 in short-term deposits.

Gross proceeds of a financing in July 2018 amounted to \$9,240,233 for the nine months ended September 30, 2018, while the initial public offering in February 2017 raised gross proceeds of \$3,000,000 in the corresponding period of 2017.

The main use of cash during the nine months ended September 30, 2018 was expenditures used in the operating activities. The use of cash has been reduced by an amount of \$800,000 that was provided by the sale to Wheaton of certain rights to precious metals streams and royalties in Ecuador.

The Corporation continued to invest in various projects in 2018, spending \$6,890,658 in Ecuador and \$194,409 in Newfoundland and Ireland in the nine months ended September 30, 2018, compared with \$1,682,237 in Newfoundland and Ireland in the same period in 2017.

The Corporation will continue to fund ongoing investment and investigate current and future mineral exploration assets, perform exploration work programs and run general operations. Future developments will depend on the Corporation's ability to obtain financing through joint venturing of projects, debt financing, equity financing or other means. There can be no assurances that the Corporation will be successful in obtaining any such financing or in joint venturing its properties.

SUMMARY OF QUARTERLY FINANCIAL INFORMATION

The table below outlines selected financial information related to each of the quarters in 2018, 2017 and the 69-day period from October 24 to December 31, 2016, all presented under IFRS.

Quarter Ended	Net earnings/ (loss)	Net earnings/(loss) per common share (basic and diluted)
September 30, 2018	\$ 2,508,548	\$ 0.04
June 30, 2018	(586,103)	(0.01)
March 31, 2018	(655,363)	(0.01)
December 31, 2017	(1,907,170)	(0.04)
September 30, 2017	(593,114)	(0.01)
June 30, 2017	(512,663)	(0.01)
March 31, 2017	(813,853)	(0.02)
Oct 24-Dec 31, 2016	(302,289)	(0.03)

As at	Total assets		Total liabilities	
September 30, 2018	\$	32,814,300	\$	1,229,752
June 30, 2018		16,997,061		666,218
March 31, 2018		17,595,414		837,486
December 31, 2017		18,341,279		1,117,933
September 30, 2017		10,087,428		717,367
June 30, 2017		10,865,848		1,037,316
March 31, 2017		11,306,385		1,111,286
December 31, 2016		9,486,887		770,860

The net loss for each of the quarters is relatively stable, except for the fourth quarter of 2017 where the loss is increased by \$1,314,056 over the third quarter due mainly to the legal and professional fees incurred in closing the Salazar transaction, professional and consulting fees for due diligence activities and marketing associated with the financing, management bonuses, as well as the addition of two officers in the last quarter. The net earnings for the quarter ended September 30, 2018 was due to the one-off income derived from the sale to Wheaton of certain rights to precious metals streams and royalties in Ecuador and the disposal of its investments in the Newfoundland Properties.

The total assets as at September 30, 2018 was \$22,726,872 higher than that as at September 30, 2017, primarily due to the increase in investments in exploration and evaluation properties in Ireland and the options to acquire the entities that hold the Curipamba and the Pijí and Santiago projects in Ecuador, its investment in Canstar, as well as cash from the various financing and the investment in Canstar. The level of liabilities increased by \$512,385 from September 30, 2017 to September 30, 2018 due primarily to the increase in accruals, the largest ones of which are the annual advance payment due to Salazar and the accrual of bonuses which will be paid in December.

RELATED PARTY TRANSACTIONS

Key management personnel include those persons having authority and responsibility for planning, directing and controlling the activities of the Corporation as a whole. The Corporation has determined that key management personnel consists of members of the Corporation's Board of Directors and corporate officers. Compensation for key management personnel and directors for the nine months ended September 30, 2018 and 2017 is as follows:

	For the three months ended September 30,		For the nine months ended September 30,	
	2018	2017	2018	2017
Salaries and benefits	\$ 427,934	\$ 208,608	\$ 997,630	\$ 853,731
Share-based compensation	156,824	148,473	503,287	381,787
	\$ 584,758	\$ 357,081	\$ 1,500,917	\$ 1,235,518

During the nine months ended September 30, 2018, the Corporation incurred charges of \$21,556 (September 30, 2017: \$340,997) from Altius Minerals and/or its subsidiaries for management fees, technical consulting and exploration related expenses. Since March 1, 2018, the Corporation has been sharing its office with some members of staff of Altius Minerals Corporation and during the nine months ended September 30, 2018, the Corporation charged Altius Minerals Corporation an amount of \$15,571 for its share of office rental as well as a deposit of \$1,707. As at September 30, 2018 the amounts included in accounts payable and accrued liabilities are \$11,579 (December 31, 2017: \$22,644) and the amounts included in receivable is \$Nil. (December 31, 2017: \$Nil). Since September 1, 2018, the Corporation has been sharing its office with Canstar and during the nine months ended September 30, 2018, the Corporation charged Canstar an amount of \$4,860 for its share of office rental as well as a deposit of \$1,706. As at September 30, 2018 the amounts included in accounts receivable is \$1,706. (December 31, 2017: \$Nil).

These transactions are in the normal course of operations and are measured at the fair value amount, which is the amount of consideration established and agreed to by the related parties.

OFF-BALANCE SHEET ARRANGEMENTS

At September 30, 2018, the Corporation had no off-balance sheet arrangements such as guarantee contracts, contingent interest in assets transferred to an entity, derivative instruments obligations or any obligations that trigger financing, liquidity, market or credit risk to the Corporation.

SHARE CAPITAL

As at the date of this MD&A, the Corporation has 71,004,925 common shares, 4,500,000 stock options, of which 1,183,333 are exercisable, and 354,925 broker warrants exercisable for common shares outstanding.

NEW ACCOUNTING POLICIES

Investments in associates over which the Corporation exercises significant influence are accounted for using the equity method, whereby the investment is initially recognized at cost and adjusted thereafter for the Corporation's share of change in net assets of the investee post-acquisition, while including its share of the investee's profit or loss in the Corporation's profit or loss and the investee's other comprehensive income is included in the Corporation's other comprehensive income.

When the Corporation loses control of a subsidiary, it derecognizes the assets and liabilities of the subsidiary from the consolidated statement of financial position. It recognizes a gain or loss in the statement of earnings or losses, which is the difference between (i) the aggregate of the fair value of the consideration received and the fair value of any retained interest and (ii) the previous carrying amount of the assets (including goodwill) and liabilities of the subsidiary and any non-controlling interests. Amounts previously recognized in other comprehensive income in relation to that subsidiary are accounted for as if the Corporation had directly disposed of the related assets or liabilities of the subsidiary. The fair value of any investment retained in the former subsidiary at the date when control is lost is regarded as the fair value on initial recognition of a financial asset for subsequent accounting under IFRS 9, and where applicable, the cost on initial recognition of an investment in an associate.

The Corporation adopted *IFRS 9, Financial Instruments* ("IFRS 9") and *IFRS 15, Revenue from Contracts with Customers* ("IFRS 15") on January 1, 2018.

On adoption, the Corporation updated its financial instrument classifications and measurements as follows:

Financial asset or liability	IAS 39 December 31, 2017	IFRS 9 January 1, 2018
Cash and cash equivalents	Loans and receivables	Amortized cost
Other receivables	Loans and receivables	Amortized cost
Advances made on options to acquire mineral interests	Loans and receivables	Amortized cost
Options to acquire mineral interests	Fair value through profit and loss (FVTPL)	FVTPL
Accounts payable and accrued liabilities	Other financial liabilities	Other financial liabilities

The Corporation continues to classify the options to acquire shares of an entity, which directly or indirectly holds an underlying mineral property interest, as FVTPL. The option derivative is measured at fair value at each reporting period, unless the value of the derivative is not reliably measurable at which point the investment is recognized at its cost. There was no impact on the Corporation's condensed consolidated financial statements upon adoption of IFRS 9.

These option derivatives are financial assets denominated in US dollars, and hence are retranslated into the Corporation's functional currency using the spot rates at each period end with differences in profit or loss.

Impairment of financial assets, such as the Corporation's other receivables and the advances made on option to acquire entity that holds mineral interests, are determined using a single impairment model that requires the Corporation to recognize expected credit losses without requiring a triggering event to occur.

The Corporation does not have any revenue from contracts with customers. As such, there is no impact on the Corporation's condensed consolidated financial statements upon adoption of IFRS 15.

IFRS 16 – Leases: This standard was issued by the IASB on January 13, 2016, and will replace IAS 17 "Leases". IFRS 16 will bring most leases on-balance sheet for lessees under a single model, eliminating the distinction between operating and financing leases. Lessor accounting remains largely unchanged. The new standard is effective for annual periods beginning on or after January 1, 2019. The Corporation is continuing to assess the impact of this standard but does not believe there will be any material impact.

RISK FACTORS AND UNCERTAINTIES

The ability to continue operations in the normal course of business is dependent on several factors, including the Corporation's ability to secure funding. The Corporation anticipates further exploration, development and acquisition of future prospective properties and has positive net working capital to fund currently planned work programs on existing properties.

A summary of the major financial instrument risks and the Corporation's management of these risks can be found in the annual financial statements and MD&A for the year ended December 31, 2017. There have been no changes to these factors during the current period.

INTERNAL CONTROL OVER FINANCIAL REPORTING

Management is responsible for the establishment and maintenance of a system of internal control over financial reporting. This system has been designed to provide reasonable assurance that assets are safeguarded and that the financial reporting is accurate and reliable. The consolidated financial statements have been prepared by management in accordance with IFRS and in accordance with accounting policies set out in the notes to the condensed consolidated financial statements for the three and nine months ended September 30, 2018. There has been no change in the Corporation's internal control over financial reporting during the three months ended December 31, 2017 that has materially affected, or is reasonably likely to materially affect, the Corporation's internal control over financial reporting. There are inherent limitations in all control systems and no disclosure controls and procedures can provide complete assurance that no future errors or fraud will occur. An economically feasible control system, no matter how well conceived or operated, can provide only reasonable, not absolute, assurance that the objectives of the control system are met.

CRITICAL ACCOUNTING ESTIMATES

A summary of the Corporation's critical accounting estimates and judgments can be found in the annual consolidated financial statements for the year ended December 31, 2017 and the 69 day period from October 24 to December 31, 2016.

COMMITMENTS AND CONTRACTUAL OBLIGATIONS

Mineral property expenditures

The Corporation has obtained various mineral rights licenses by staking claims and paying refundable security deposits. Certain expenditures are required on an annual basis, from the date of license issuance, in order to maintain the licenses in good standing and for refund of security deposits. On or before the anniversary date of license issuance, and if the required expenditures are not met, the Corporation has the option of reducing claims on a property, post a refundable security bond for the deficient amount or elect to allow title of the license be cancelled. The Corporation is required to spend \$52,570 by December 31, 2019 and \$146,445 by December 31, 2020 to maintain various licenses in good standing.

Operating lease

As at September 30, 2018 the Corporation is committed to lease obligations, including operating costs, on office space for annual future payments as follows:

	<i>Amounts</i>	
2018	\$	37,413
2019		149,654
Total commitments	\$	187,067

Contractual obligations

The Corporation has certain royalty obligations on its properties. This includes a 2% NSR royalty on the Irish Properties pursuant to the Irish Royalty Agreement dated November 29, 2016.

Under the Option Agreement in Curipamba, the Corporation shall pay to Salazar an annual advance payment of US\$250,000 to an aggregate maximum of US\$1,500,000 over the option period of five years. Should the Option Agreement be terminated without the Option having been exercised, any such amounts of advance payment made will not be refundable. As of the date of this MD&A, a total amount of US\$500,000 has been made.

Under the Pijilí Agreement, the Corporation shall pay to Salazar US\$50,000 as the remainder of the cash consideration when all conditions to the Pijilí Agreement has been satisfied and title to the property transferred to Dos Gemas.

Under the Santiago Agreement, the Corporation shall pay to Salazar US\$25,000 as the remainder of the cash consideration when all conditions to the Santiago Agreement has been satisfied and title to the property transferred to Dos Gemas.